

# *Cd3g* Cas9-CKO Strategy

**Designer:**

**Huimin Su**

**Reviewer:**

**Ruirui Zhang**

**Design Date:**

**2019/8/29**

# Project Overview

**Project Name**

*Cd3g*

**Project type**


**Cas9-CKO**

**Strain background**

**C57BL/6JGpt**

# Conditional Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Cd3g* gene. The schematic diagram is as follows:



# Technical routes

- The *Cd3g* gene has 3 transcripts. According to the structure of *Cd3g* gene, exon2-exon6 of *Cd3g-201* (ENSMUST00000002101.11) transcript is recommended as the knockout region. The region contains most of coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Cd3g* gene. The brief process is as follows: gRNA was transcribed in vitro, donor was constructed. Cas9, gRNA and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

- According to the existing MGI data, Mice homozygous for a knock-out allele exhibit decreased thymocyte number and T cell response.
- The *Cd3g* gene is located on the Chr9. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.



# Gene information (NCBI)

## Cd3g CD3 antigen, gamma polypeptide [ *Mus musculus* (house mouse) ]

Gene ID: 12502, updated on 12-Aug-2019

### Summary


Official Symbol	Cd3g provided by <a href="#">MGI</a>
Official Full Name	CD3 antigen, gamma polypeptide provided by <a href="#">MGI</a>
Primary source	<a href="#">MGI:MGI:88333</a>
See related	<a href="#">Ensembl:ENSMUSG00000002033</a>
Gene type	protein coding
RefSeq status	VALIDATED
Organism	<a href="#">Mus musculus</a>
Lineage	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
Also known as	T3g; Ctg3; Ctg-3
Expression	Biased expression in thymus adult (RPKM 54.5), spleen adult (RPKM 5.5) and 2 other tissues <a href="#">See more</a>
Orthologs	<a href="#">human</a> <a href="#">all</a>

# Transcript information (Ensembl)


The gene has 3 transcripts,all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Cd3g-201	<a href="#">ENSMUST00000002101.11</a>	1023	<a href="#">182aa</a>	Protein coding	<a href="#">CCDS23123</a>	<a href="#">P11942</a> <a href="#">Q3U4Y3</a>	TSL:1 GENCODE basic APPRIS P1
Cd3g-203	<a href="#">ENSMUST00000160886.1</a>	412	<a href="#">100aa</a>	Protein coding	-	<a href="#">E0CXP3</a>	CDS 3' incomplete TSL:5
Cd3g-202	<a href="#">ENSMUST00000159019.2</a>	2539	No protein	Retained intron	-	-	TSL:2

The strategy is based on the design of *Cd3g-201* transcript,The transcription is shown below




# Genomic location distribution






# Protein domain



# Mouse phenotype description(MGI)



*Phenotypes affected by the gene are marked in blue. Data quoted from MGI database(<http://www.informatics.jax.org/>).*

According to the existing MGI data, Mice homozygous for a knock-out allele exhibit decreased thymocyte number and T cell response.

If you have any questions, you are welcome to inquire.

Tel: 400-9660890

