



Dusp4 Cas9-CKO Strategy

Designer:

Reviewer:

Design Date:

Ruirui Zhang

Huimin Su

2020-2-28

Project Overview


Project Name**Dusp4**

Project type**Cas9-CKO**

Strain background**C57BL/6JGpt**

Conditional Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Dusp4* gene. The schematic diagram is as follows:



Technical routes

- The *Dusp4* gene has 1 transcript. According to the structure of *Dusp4* gene, exon2-exon4 of *Dusp4-201* (ENSMUST00000033930.4) transcript is recommended as the knockout region. The region contains most of coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Dusp4* gene. The brief process is as follows:gRNA was transcribed in vitro, donor was constructed.Cas9, gRNA and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice.Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.



集萃药康
GemPharmatech

Notice

- According to the existing MGI data, mice homozygous for a null allele exhibit a decrease in B cell apoptosis of bone marrow-derived, IL-7-dependent pro-B lymphocytes.
- The *Dusp4* gene is located on the Chr8. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information (NCBI)

Dusp4 dual specificity phosphatase 4 [*Mus musculus* (house mouse)]

Gene ID: 319520, updated on 31-Dec-2019

Summary




Official Symbol	Dusp4 provided by MGI
Official Full Name	dual specificity phosphatase 4 provided by MGI
Primary source	MGI : MGI:2442191
See related	Ensembl : ENSMUSG00000031530
Gene type	protein coding
RefSeq status	PROVISIONAL
Organism	Mus musculus
Lineage	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
Also known as	MKP2; AI844617; BB104621; 2700078F24Rik; E130306H24Rik
Expression	Broad expression in whole brain E14.5 (RPKM 27.6), CNS E14 (RPKM 24.4) and 20 other tissues See more
Orthologs	human all

Transcript information (Ensembl)


The gene has 1 transcript, and the transcript is shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Dusp4-201	ENSMUST00000033930.4	2740	398aa	Protein coding	CCDS22241	Q8BFV3	TSL:1 GENCODE basic APPRIS P1

The strategy is based on the design of *Dusp4-201* transcript, the transcription is shown below:




Genomic location distribution



Protein domain



Mouse phenotype description(MGI)



Phenotypes affected by the gene are marked in blue. Data quoted from MGI database(<http://www.informatics.jax.org/>).

According to the existing MGI data, mice homozygous for a null allele exhibit a decrease in B cell apoptosis of bone marrow-derived, IL-7-dependent pro-B lymphocytes.



If you have any questions, you are welcome to inquire.

Tel: 400-9660890



集萃药康生物科技
GemPharmatech Co.,Ltd

