

# Crybb2 Cas9-CKO Strategy

Designer: Xueting Zhang

Reviewer: Yanhua Shen

Date:2019-12-31

## **Project Overview**



**Project Name** 

Crybb2

**Project type** 

Cas9-CKO


Strain background

C57BL/6JGpt

## Conditional Knockout strategy



This model will use CRISPR/Cas9 technology to edit the Crybb2 gene. The schematic diagram is as follows:



### Technical routes



- ➤ The *Crybb2* gene has 5 transcripts. According to the structure of *Crybb2* gene, exon4-exon6 of *Crybb2-202*(ENSMUST00000112336.7) transcript is recommended as the knockout region. The region contains 395bp coding sequence.

  Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Crybb2* gene. The brief process is as follows:CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

### **Notice**



- ➤ According to the existing MGI data, Mutations in this gene cause progressive lens cataracts discernable at 12-15 days of age as mild anterior or cortical opacity and progressing to total opacity by 6-12 weeks of age.
- ➤ Transcript *Crybb2*-203&204 may not be affected.
- The *Crybb2* gene is located on the Chr5. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

### Gene information (NCBI)



#### Crybb2 crystallin, beta B2 [ Mus musculus (house mouse) ]

Gene ID: 12961, updated on 31-Aug-2019





Official Symbol Crybb2 provided by MGI

Official Full Name crystallin, beta B2 provided by MGI

Primary source MGI:MGI:88519

See related Ensembl:ENSMUSG00000042240

Gene type protein coding
RefSeq status REVIEWED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;

Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus

Also known as Cryb-2

**Summary** This gene is a member of the beta-crystallin family. Beta crystallins, along with alpha and gamma crystallins, are the major

proteins found in the eye lens. These proteins maintain the refractive index of the lens whilst also maintaining its transparency. Since lens central fiber cells lose their nuclei during development, crystallins are made and then retained throughout life, making them extremely stable proteins. Beta and gamma crystallins are considered be a superfamily and have a similar domain architecture, including four Greek Key motifs. Beta-crystallins form aggregates of different sizes and are able to self-associate to form dimers or to form heterodimers with other beta-crystallins. The protein encoded by this gene may have Ca2+-binding activity and could be associated with potential functions in the hippocampus and in sperm. Targeted knockout of this gene in mouse induces age-related cataract. A chain-terminating mutation in a similar gene in human was found to cause

type 2 cerulean cataracts. [provided by RefSeq, Feb 2015]

**Expression** Low expression observed in reference dataset <u>See more</u>

Orthologs human all


## Transcript information (Ensembl)



The gene has 5 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Crybb2-202	ENSMUST00000112336.7	906	205aa	Protein coding	CCDS19546	P62696	TSL:1 GENCODE basic APPRIS P1
Crybb2-201	ENSMUST00000031295.7	724	205aa	Protein coding	CCDS19546	P62696	TSL:1 GENCODE basic APPRIS P1
Crybb2-204	ENSMUST00000144833.1	653	No protein	IncRNA	-	820	TSL:3
Crybb2-205	ENSMUST00000199639.1	641	No protein	IncRNA	(a)	323	TSL:3
Crybb2-203	ENSMUST00000137485.7	613	No protein	IncRNA	-	127	TSL:3

The strategy is based on the design of Crybb2-202 transcript, The transcription is shown below




## Genomic location distribution






### Protein domain





## Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data, Mutations in this gene cause progressive lens cataracts discernable at 12-15 days of age as mild anterior or cortical opacity and progressing to total opacity by 6-12 weeks of age.



If you have any questions, you are welcome to inquire. Tel: 400-9660890





