

# *Xpr1* Cas9-CKO Strategy

**Designer:**

**Daohua Xu**

**Reviewer:**

**Huimin Su**

**Design Date:**

**2020-2-14**

# Project Overview

**Project Name**

*Xpr1*

**Project type**


**Cas9-CKO**

**Strain background**

**C57BL/6JGpt**

# Conditional Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Xpr1* gene. The schematic diagram is as follows:



- The *Xpr1* gene has 7 transcripts. According to the structure of *Xpr1* gene, exon2 of *Xpr1-201* (ENSMUST00000027741.11) transcript is recommended as the knockout region. The region contains 52bp coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Xpr1* gene. The brief process is as follows: CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

- According to the existing MGI data, Homozygotes and heterozygotes for a variant from some wild Mus stocks, including *M. spretus*, support replication of xenotropic murine leukemia viruses and mink cell focus-forming murine leukemia viruses that are not replicated in most laboratory strains.
- The *Xpr1* gene is located on the Chr1. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.



# Gene information (NCBI)

## Xpr1 xenotropic and polytropic retrovirus receptor 1 [Mus musculus (house mouse)]

Gene ID: 19775, updated on 19-Mar-2019

### Summary




<b>Official Symbol</b>	Xpr1 provided by <a href="#">MGI</a>
<b>Official Full Name</b>	xenotropic and polytropic retrovirus receptor 1 provided by <a href="#">MGI</a>
<b>Primary source</b>	<a href="#">MGI:MGI:97932</a>
<b>See related</b>	<a href="#">Ensembl:ENSMUSG00000026469</a>
<b>Gene type</b>	protein coding
<b>RefSeq status</b>	VALIDATED
<b>Organism</b>	<a href="#">Mus musculus</a>
<b>Lineage</b>	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
<b>Also known as</b>	Rmc-1, Rmc1, Sxv, Syg1, XR
<b>Expression</b>	Broad expression in whole brain E14.5 (RPKM 29.3), CNS E18 (RPKM 27.0) and 26 other tissues <a href="#">See more</a>
<b>Orthologs</b>	<a href="#">human</a> <a href="#">all</a>

# Transcript information (Ensembl)


The gene has 7 transcripts,all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Xpr1-201	<a href="#">ENSMUST00000027741.11</a>	7492	<a href="#">695aa</a>	Protein coding	<a href="#">CCDS15384</a>	<a href="#">Q9Z0U0</a>	TSL:1 GENCODE basic APPRIS P1
Xpr1-203	<a href="#">ENSMUST00000111775.7</a>	4094	<a href="#">630aa</a>	Protein coding	-	<a href="#">D3Z2B4</a>	TSL:5 GENCODE basic
Xpr1-202	<a href="#">ENSMUST00000111774.1</a>	2753	<a href="#">679aa</a>	Protein coding	-	<a href="#">Q9Z0U0</a>	TSL:1 GENCODE basic
Xpr1-204	<a href="#">ENSMUST00000129271.7</a>	4246	No protein	Retained intron	-	-	TSL:1
Xpr1-207	<a href="#">ENSMUST00000192359.1</a>	2738	No protein	Retained intron	-	-	TSL:NA
Xpr1-205	<a href="#">ENSMUST00000139925.1</a>	2443	No protein	Retained intron	-	-	TSL:1
Xpr1-206	<a href="#">ENSMUST00000143529.2</a>	2881	No protein	lncRNA	-	-	TSL:2

The strategy is based on the design of *Xpr1-201* transcript,The transcription is shown below



# Genomic location distribution






# Protein domain



# Mouse phenotype description(MGI)



*Phenotypes affected by the gene are marked in blue. Data quoted from MGI database(<http://www.informatics.jax.org/>).*

According to the existing MGI data, Homozygotes and heterozygotes for a variant from some wild Mus stocks, including *M. spretus*, support replication of xenotropic murine leukemia viruses and mink cell focus-forming murine leukemia viruses that are not replicated in most laboratory strains.

If you have any questions, you are welcome to inquire.

Tel: 400-9660890

