

# Angptl8 Cas9-CKO Strategy

Designer: Daohua Xu

**Reviewer: Xueting Zhang** 

**Design Date: 2021-2-8** 

## **Project Overview**



Project Name Angptl8


Project type Cas9-CKO

Strain background C57BL/6JGpt

## Conditional Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Angptl8* gene. The schematic diagram is as follows:



### **Technical routes**



- > The Angptl8 gene has 1 transcript. According to the structure of Angptl8 gene, exon1-exon4 of Angptl8-201(ENSMUST00000058777.7) transcript is recommended as the knockout region. The region contains all of the coding sequence. Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Angptl8* gene. The brief process is as follows:CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- > The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

### **Notice**



- > According to the existing MGI data, mice homozygous for a targeted mutation exhibit markedly reduced serum triglyceride levels.
- > The KO region contains functional region of the *Dock6* gene.Knockout the region may affect the function of *Dock6* gene.
- > The Angptl8 gene is located on the Chr9. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

### Gene information (NCBI)



#### Angptl8 angiopoietin-like 8 [Mus musculus (house mouse)]

Gene ID: 624219, updated on 13-Mar-2020

#### Summary

☆ ?

Official Symbol Angptl8 provided by MGI

Official Full Name angiopoietin-like 8 provided by MGI

Primary source MGI:MGI:3643534

See related Ensembl: ENSMUSG00000047822

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;

Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus

Also known as EG624219, Gm6484, Rifl

Expression Biased expression in liver E18 (RPKM 107.6), liver adult (RPKM 87.6) and 9 other tissuesSee more

Orthologs <u>human all</u>


## Transcript information (Ensembl)



The gene has 1 transcript, and the transcript is shown below:


٥	Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags	
	2012-01-010	\$25,550 \$250 \$70.00 Page 125000	100 m		1.000.000.4.4.000	2000 200	ENGEL STATE	######################################	
	Angpti8-201	ENSMUS100000058777.7	865	198aa	Protein coaing	CCDS40556	AUAUAUR/84 Q8R1L8	TSL:1 GENCODE basic APPRIS P1	

The strategy is based on the design of *Angptl8-201* transcript, the transcription is shown below:




### Genomic location distribution






## Protein domain





## Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data,mice homozygous for a targeted mutation exhibit markedly reduced serum triglyceride levels.



If you have any questions, you are welcome to inquire.

Tel: 400-9660890





