

Evl Cas9-CKO Strategy

Designer: JiaYu

Reviewer: Xiaojing Li

Design Date: 2020-1-19

Project Overview



Project Name Evl


Project type Cas9-CKO

Strain background C57BL/6JGpt

Conditional Knockout strategy



This model will use CRISPR/Cas9 technology to edit the Evl gene. The schematic diagram is as follows:



Technical routes



- ➤ The *Evl* gene has 7 transcripts. According to the structure of *Evl* gene, exon2-exon3 of *Evl-201*(ENSMUST00000021689.13) transcript is recommended as the knockout region. The region contains 347bp coding sequence.

 Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Evl* gene. The brief process is as follows:CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

Notice



- ➤ According to the existing MGI data, Mice homozygous for a knock-out allele are viable with no apparent defects in gross morphology or histology. Mice homozygous for a different knock-out allele are viable and fertile but display defects in monocyte migration.
- > The *Evl* gene is located on the Chr12. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information (NCBI)



Evl Ena-vasodilator stimulated phosphoprotein [Mus musculus (house mouse)]

Gene ID: 14026, updated on 5-Mar-2019

Summary

☆ ?

Official Symbol EvI provided by MGI

Official Full Name Ena-vasodilator stimulated phosphoprotein provided by MGI

Primary source MGI:MGI:1194884

See related Ensembl: ENSMUSG00000021262

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;

Muroidea; Muridae; Murinae; Mus; Mus

Also known as Al528774, b2b2600Clo

Expression Broad expression in whole brain E14.5 (RPKM 64.8), CNS E14 (RPKM 64.7) and 27 other tissuesSee more

Orthologs human all

Transcript information (Ensembl)



The gene has 7 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	ccds	UniProt	Flags
EvI-201	ENSMUST00000021689.13	2180	414aa	Protein coding	CCDS49167	P70429	TSL:1 GENCODE basic APPRIS P4
EvI-202	ENSMUST00000077735.12	2121	393aa	Protein coding	CCDS26161	P70429	TSL:1 GENCODE basic
EvI-204	ENSMUST00000172409.1	1955	401aa	Protein coding	CCDS49169	E9PVP4	TSL:1 GENCODE basic
EvI-203	ENSMUST00000109854.8	1870	399aa	Protein coding	CCDS49168	F8WJB9	TSL:1 GENCODE basic APPRIS ALT1
EvI-206	ENSMUST00000223109.1	1487	426aa	Protein coding	107	A0A1Y7VJA2	CDS 3' incomplete TSL:1
EvI-207	ENSMUST00000223548.1	569	<u>39aa</u>	Protein coding	1 5	A0A1Y7VNI5	CDS 5' incomplete TSL:3
EvI-205	ENSMUST00000222048.1	765	No protein	Retained intron	84	-8	TSL:5

The strategy is based on the design of Evl-201 transcript, The transcription is shown below




Genomic location distribution






Protein domain





Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data, Mice homozygous for a knock-out allele are viable with no apparent defects in gross morphology or histology. Mice homozygous for a different knock-out allele are viable and fertile but display defects in monocyte migration.



If you have any questions, you are welcome to inquire. Tel: 400-9660890





