

Atp6v1e1 Cas9-CKO Strategy

Designer: JiaYu

Reviewer: Xiaojing Li

Design Date: 2020-2-13

Project Overview



Project Name

Atp6v1e1

Project type

Cas9-CKO


Strain background

C57BL/6JGpt

Conditional Knockout strategy



This model will use CRISPR/Cas9 technology to edit the Atp6v1e1 gene. The schematic diagram is as follows:



Technical routes



- The *Atp6v1e1* gene has 6 transcripts. According to the structure of *Atp6v1e1* gene, exon3-exon7 of *Atp6v1e1-201* (ENSMUST00000019354.10) transcript is recommended as the knockout region. The region contains 431bp coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Atp6v1e1* gene. The brief process is as follows:CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

Notice



- The *Atp6v1e1* gene is located on the Chr6. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- > Transcript 204 CDS 5' incomplete the influences is unknown; Transcript 205,206 CDS 3' incomplete the influences is unknown
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information (NCBI)



Atp6v1e1 ATPase, H+ transporting, lysosomal V1 subunit E1 [Mus musculus (house mouse)]

Gene ID: 11973, updated on 7-Apr-2019

Summary

Official Symbol Atp6v1e1 provided by MGI

Official Full Name ATPase, H+ transporting, lysosomal V1 subunit E1 provided by MGI

Primary source MGI:MGI:894326

See related Ensembl:ENSMUSG00000019210

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;

Muroidea; Muridae; Murinae; Mus; Mus

Also known as 2410029D23Rik, Atp6e, Atp6e2, Atp6v1e, D6Ertd385e, Vma4, p31

Expression Ubiquitous expression in cortex adult (RPKM 139.1), frontal lobe adult (RPKM 137.5) and 28 other tissuesSee more

Orthologs <u>human</u> all


Transcript information (Ensembl)



The gene has 6 transcripts, all transcripts are shown below:


Name 🍦	Transcript ID .	bp 🍦	Protein	Biotype	CCDS 🍦	UniProt 🍦	Flags
Atp6v1e1-201	ENSMUST00000019354.10	1312	226aa	Protein coding	CCDS20484@	P50518₽	TSL:1 GENCODE basic APPRIS P1
Atp6v1e1-204	ENSMUST00000203783.2	835	<u>128aa</u>	Protein coding	8	A0A0N4SW07₽	CDS 5' incomplete TSL:5
Atp6v1e1-205	ENSMUST00000204699.1	517	<u>78aa</u>	Protein coding	8	A0A0N4SWA3₺	CDS 3' incomplete TSL:3
Atp6v1e1-206	ENSMUST00000205049.2	334	<u>87aa</u>	Protein coding	8	A0A0N4SW34₽	CDS 3' incomplete TSL:3
Atp6v1e1-203	ENSMUST00000203527.1	2928	No protein	Retained intron	8	2	TSL:1
Atp6v1e1-202	ENSMUST00000203432.1	731	No protein	Retained intron	8	2	TSL:2

The strategy is based on the design of Atp6v1e1-201 transcript, The transcription is shown below




Genomic location distribution





Protein domain







If you have any questions, you are welcome to inquire. Tel: 400-9660890





