

# Capn6 Cas9-CKO Strategy

Designer: Huimin Su

Reviewer: Ruirui Zhang

**Design Date:** 2020-2-25

## **Project Overview**



Project Name Capn6


Project type Cas9-CKO

Strain background C57BL/6JGpt

## Conditional Knockout strategy



This model will use CRISPR/Cas9 technology to edit the Capn6 gene. The schematic diagram is as follows:



### Technical routes



- The *Capn6* gene has 2 transcripts. According to the structure of *Capn6* gene, exon3-exon13 of *Capn6-201* (ENSMUST00000087316.5) transcript is recommended as the knockout region. The region contains most of the coding sequence. Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Capn6* gene. The brief process is as follows:CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

### **Notice**



- ➤ According to the existing MGI data, female mice homozygous for a knock-out allele display advanced skeletal muscle development during embryogenesis and advanced skeletal muscle regeneration after cardiotoxin-induced degeneration. Male hemizygotes exhibit increased differentiation of primary cultured skeletal muscle cells.
- > The Capn6 gene is located on the ChrX. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

## Gene information (NCBI)



#### Capn6 calpain 6 [ Mus musculus (house mouse) ]

Gene ID: 12338, updated on 10-Oct-2019

#### Summary

△ 2

Official Symbol Capn6 provided by MGI
Official Full Name calpain 6 provided by MGI
Primary source MGI:MGI:1100850

See related Ensembl: ENSMUSG00000067276

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae;

Murinae; Mus; Mus

Expression Biased expression in limb E14.5 (RPKM 163.8), CNS E11.5 (RPKM 19.4) and 2 other tissues See more

Orthologs human all

#### Genomic context


☆ ?

Location: X; X F2

See Capn6 in Genome Data Viewer

Exon count: 13

Annotation release	Status	Assembly	Chr	Location	,
108	current	GRCm38.p6 (GCF_000001635.26)	X	NC_000086.7 (143802236143827412, complement)	-
Build 37.2	previous assembly	MGSCv37 (GCF_000001635.18)	X	NC_000086.6 (140236779140261955, complement)	



## Transcript information (Ensembl)



The gene has 2 transcripts, all transcripts are shown below:


Name	Transcript ID 👙	bp 🌲	Protein	Biotype	CCDS 🍦	UniProt	Flags		
Capn6-201	ENSMUST00000087316.5	3561	<u>641aa</u>	Protein coding	CCDS30455 ₽	<u>O35646</u> ₽	TSL:1	GENCODE basic	APPRIS P1
Capn6-202	ENSMUST00000151154.1	4539	No protein	Retained intron			TSL:1		

The strategy is based on the design of Capn6-201 transcript, the transcription is shown below:




## Genomic location distribution






## Protein domain





## Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data, female mice homozygous for a knock-out allele display advanced skeletal muscle development during embryogenesis and advanced skeletal muscle regeneration after cardiotoxin-induced degeneration. Male hemizygotes exhibit increased differentiation of primary cultured skeletal muscle cells.



If you have any questions, you are welcome to inquire. Tel: 400-9660890





