

Ramp3 Cas9-CKO Strategy

Designer:Xueting Zhang

Reviewer: Yanhua Shen

Date:2020-02-12

Project Overview



Project Name

Ramp3

Project type

Cas9-CKO


Strain background

C57BL/6JGpt

Conditional Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Ramp3* gene. The schematic diagram is as follows:



Technical routes



- The *Ramp3* gene has 2 transcripts. According to the structure of *Ramp3* gene, exon2-exon3 of *Ramp3-201* (ENSMUST00000045374.7) transcript is recommended as the knockout region. The region contains most of the coding sequence. Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Ramp3* gene. The brief process is as follows:CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

Notice



- > According to the existing MGI data, Mice homozygous for a null allele exhibit decreased body weight at 6 months of age.
- The *Ramp3* gene is located on the Chr11. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information (NCBI)



Ramp3 receptor (calcitonin) activity modifying protein 3 [Mus musculus (house mouse)]

Gene ID: 56089, updated on 12-Aug-2019

Summary

☆ ?

Official Symbol Ramp3 provided by MGI

Official Full Name receptor (calcitonin) activity modifying protein 3 provided by MGI

Primary source MGI:MGI:1860292

See related Ensembl: ENSMUSG00000041046

Gene type protein coding
RefSeq status VALIDATED
Organism <u>Mus musculus</u>

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;

Muroidea; Muridae; Murinae; Mus; Mus

Also known as Al850306

Expression Biased expression in genital fat pad adult (RPKM 64.0), subcutaneous fat pad adult (RPKM 53.0) and 9 other tissues See more

Orthologs human all

Genomic context



Location: 11 A1; 11 4.61 cM

See Ramp3 in Genome Data Viewer

Exon count: 4

Annotation release	Status	Assembly	Chr	Location
108	current	GRCm38.p6 (GCF_000001635.26)	11	NC_000077.6 (66585066677478)
Build 37.2	previous assembly	MGSCv37 (GCF_000001635.18)	11	NC_000077.5 (65585366577478)

Transcript information (Ensembl)



The gene has 2 transcripts, all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Ramp3-201	ENSMUST00000045374.7	1233	<u>147aa</u>	Protein coding	CCDS24425	Q9WUP1	TSL:1 GENCODE basic APPRIS P1
Ramp3-202	ENSMUST00000139540.1	1333	No protein	IncRNA	. 8	-8	TSL:1

The strategy is based on the design of Ramp3-201 transcript, The transcription is shown below

Ramp3-201 > protein coding


Genomic location distribution






Protein domain





Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data, Mice homozygous for a null allele exhibit decreased body weight at 6 months of age.



If you have any questions, you are welcome to inquire. Tel: 400-9660890





