

Elob Cas9-CKO Strategy

Designer:Xueting Zhang

Reviewer: Yanhua Shen

Date:2019-12-02

Project Overview



Project Name

Elob

Project type

Cas9-CKO


Strain background

C57BL/6JGpt

Conditional Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Elob* gene. The schematic diagram is as follows:



Technical routes



- ➤ The *Elob* gene has 8 transcripts. According to the structure of *Elob* gene, exon3 of *Elob-201*(ENSMUST00000069579.6) transcript is recommended as the knockout region. The region contains 106bp coding sequence.

 Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Elob* gene. The brief process is as follows:CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

Notice



- \succ The N-terminal of *Elob* gene will remain several amino acids, it may remain the partial function of *Elob* gene.
- > The *Elob* gene is located on the Chr17. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- > This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information (NCBI)



Elob elongin B [Mus musculus (house mouse)]

Gene ID: 67673, updated on 14-Aug-2019

Summary

☆ ?

Official Symbol Elob provided by MGI

Official Full Name elongin B provided by MGI

Primary source MGI:MGI:1914923

See related Ensembl: ENSMUSG00000055839

Gene type protein coding
RefSeq status PROVISIONAL
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;

Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus

Also known as Tceb2; 0610040H15Rik

Expression Ubiquitous expression in testis adult (RPKM 383.1), large intestine adult (RPKM 213.2) and 28 other tissues See more

Orthologs human all

Genomic context



Location: 17; 17 A3.3

See Elob in Genome Data Viewer

Exon count: 4

Annotation release	Status	Assembly	Chr	Location	
108	current	GRCm38.p6 (GCF_000001635.26)	17	NC_000083.6 (2382474023829109, complement)	
Build 37.2	previous assembly	MGSCv37 (GCF_000001635.18)	17	NC_000083.5 (2396170723966076, complement)	


Transcript information (Ensembl)



The gene has 8 transcripts, all transcripts are shown below:


Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
ENSMUST00000069579.6	537	<u>118aa</u>	Protein coding	CCDS57055	P62869	TSL:1 GENCODE basic APPRIS P1
ENSMUST00000233593.1	578	90aa	Nonsense mediated decay		A0A3B2WBM3	
ENSMUST00000233882.1	564	No protein	Retained intron	-	ū	
ENSMUST00000232702.1	581	1 No protein IncRNA	IncRNA	2	-	
ENSMUST00000233796.1	512	No protein	IncRNA	-		
ENSMUST00000233483.1	442	No protein	IncRNA	-	·	
ENSMUST00000233519.1	414	No protein	IncRNA	-	Ü	
ENSMUST00000233857.1	366	No protein	IncRNA	20		
	ENSMUST000000233593.1 ENSMUST00000233882.1 ENSMUST00000232702.1 ENSMUST00000233796.1 ENSMUST00000233483.1 ENSMUST00000233519.1	ENSMUST00000033593.1 578 ENSMUST00000233593.1 564 ENSMUST00000232702.1 581 ENSMUST00000233796.1 512 ENSMUST00000233483.1 442 ENSMUST00000233519.1 414	ENSMUST00000069579.6 537 118aa ENSMUST00000233593.1 578 90aa ENSMUST00000233882.1 564 No protein ENSMUST00000232702.1 581 No protein ENSMUST00000233796.1 512 No protein ENSMUST00000233483.1 442 No protein ENSMUST00000233519.1 414 No protein	ENSMUST00000069579.6 537 118aa Protein coding ENSMUST00000233593.1 578 90aa Nonsense mediated decay ENSMUST00000233882.1 564 No protein Retained intron ENSMUST00000232702.1 581 No protein IncRNA ENSMUST00000233796.1 512 No protein IncRNA ENSMUST00000233483.1 442 No protein IncRNA ENSMUST00000233519.1 414 No protein IncRNA	ENSMUST00000069579.6 537 118aa Protein coding CCDS57055 ENSMUST00000233593.1 578 90aa Nonsense mediated decay - ENSMUST00000233882.1 564 No protein Retained intron - ENSMUST00000232702.1 581 No protein IncRNA - ENSMUST00000233796.1 512 No protein IncRNA - ENSMUST00000233483.1 442 No protein IncRNA - ENSMUST00000233519.1 414 No protein IncRNA -	ENSMUST00000069579.6 537 118aa Protein coding CCDS57055 P62869 ENSMUST00000233593.1 578 90aa Nonsense mediated decay - A0A3B2WBM3 ENSMUST00000233882.1 564 No protein Retained intron - - ENSMUST00000232702.1 581 No protein IncRNA - - ENSMUST00000233796.1 512 No protein IncRNA - - ENSMUST00000233483.1 442 No protein IncRNA - - ENSMUST00000233519.1 414 No protein IncRNA - -

The strategy is based on the design of *Elob-201* transcript, The transcription is shown below




Genomic location distribution





Protein domain







If you have any questions, you are welcome to inquire. Tel: 400-9660890





