

# Gpa33 Cas9-CKO Strategy

Designer: JiaYu

Reviewer: Xiaojing Li

**Design Date:** 2020-2-17

## **Project Overview**



**Project Name** 

Gpa33

**Project type** 

Cas9-CKO


Strain background

C57BL/6JGpt

## Conditional Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Gpa33* gene. The schematic diagram is as follows:



### Technical routes



- The *Gpa33* gene has 4 transcripts. According to the structure of *Gpa33* gene, exon2-exon7 of *Gpa33-202* (ENSMUST00000060833.13) transcript is recommended as the knockout region. The region contains 917bp coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Gpa33* gene. The brief process is as follows:CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

### **Notice**



- > According to the existing MGI data, Mice homozygous for a knock-out allele exhibit increased susceptibility to induced colitis and impaired oral tolerance to ovalbumin.
- The *Gpa33* gene is located on the Chr1. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

### Gene information (NCBI)



#### Gpa33 glycoprotein A33 (transmembrane) [Mus musculus (house mouse)]

Gene ID: 59290, updated on 31-Jan-2019

#### Summary

☆ ?

Official Symbol Gpa33 provided by MGI

Official Full Name glycoprotein A33 (transmembrane) provided by MGI

Primary source MGI:MGI:1891703

See related Ensembl:ENSMUSG00000000544

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;

Muroidea; Muridae; Murinae; Mus; Mus

Also known as 2010310L10Rik, 2210401D16Rik, BB116197, mA33

Expression Biased expression in colon adult (RPKM 349.7), large intestine adult (RPKM 252.6) and 3 other tissuesSee more

Orthologs <u>human</u> all


## Transcript information (Ensembl)



The gene has 4 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Gpa33-202	ENSMUST00000060833.13	2515	319aa	Protein coding	CCDS15447	A0A0R4J209	TSL:1 GENCODE basic APPRIS P1
Gpa33-204	ENSMUST00000166860.1	2227	<u>319aa</u>	Protein coding	CCDS15447	A0A0R4J209	TSL:1 GENCODE basic APPRIS P1
Gpa33-203	ENSMUST00000166159.1	499	36aa	Protein coding	-	E9PY15	CDS 3' incomplete TSL:5
Gpa33-201	ENSMUST00000027847.6	787	No protein	IncRNA	23	-	TSL:1

The strategy is based on the design of *Gpa33-202* transcript, The transcription is shown below




### Genomic location distribution






### Protein domain





## Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data, Mice homozygous for a knock-out allele exhibit increased susceptibility to induced colitis and impaired oral tolerance to ovalbumin.



If you have any questions, you are welcome to inquire. Tel: 400-9660890





