

Card14 Cas9-CKO Strategy

Designer: Daohua Xu

Reviewer: Huimin Su

Design Date: 2020-3-31

Project Overview



Project Name

Card14

Project type

Cas9-CKO


Strain background

C57BL/6JGpt

Conditional Knockout strategy



This model will use CRISPR/Cas9 technology to edit the Card14 gene. The schematic diagram is as follows:



Technical routes



- ➤ The Card14 gene has 4 transcripts. According to the structure of Card14 gene, exon5-exon6 of Card14-202 (ENSMUST00000106250.7) transcript is recommended as the knockout region. The region contains 464bp coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Card14* gene. The brief process is as follows:CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

Notice



- According to the existing MGI data, Homozygous null mice show resistance to IMQ-induced psoriasiform disease.

 Heterozygotes for a gain-of-function allele develop chronic psoriasis with scaly lesions, epidermal thickening, keratinocyte hyperproliferation, hyperkeratosis and skin inflammation while homozygotes die within days of birth.
- > The Card14 gene is located on the Chr11. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information (NCBI)



Card14 caspase recruitment domain family, member 14 [Mus musculus (house mouse)]

Gene ID: 170720, updated on 20-Mar-2020

Summary

☆ ?

Official Symbol Card14 provided by MGI

Official Full Name caspase recruitment domain family, member 14 provided by MGI

Primary source MGI:MGI:2386258

See related Ensembl:ENSMUSG00000013483

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;

Muroidea; Muridae; Murinae; Mus; Mus

Also known as Bimp2, CARMA2

Expression Broad expression in colon adult (RPKM 7.9), large intestine adult (RPKM 5.4) and 19 other tissuesSee more

Orthologs human all


Transcript information (Ensembl)



The gene has 4 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Card14-202	ENSMUST00000106250.7	4206	999aa	Protein coding	CCDS25715	Q99KF0	TSL:5 GENCODE basic APPRIS is a system to annotate alternatively spliced transcripts based on a range of computational methods to identify the most functionally important transcript(s) of a gene. APPRIS F
Card14-201	ENSMUST00000053245.6	3958	999aa	Protein coding	CCDS25715	Q99KF0	TSL:1 GENCODE basic APPRIS is a system to annotate alternatively spliced transcripts based on a range of computational methods to identify the most functionally important transcript(s) of a gene. APPRIS F
Card14-204	ENSMUST00000151052.1	3341	No protein	Processed transcript		1940	TSL:1
Card14-203	ENSMUST00000147167.7	3141	No protein	Processed transcript	- 4	100	TSL:1

The strategy is based on the design of Card14-202 transcript, The transcription is shown below




Genomic location distribution






Protein domain





Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data, Homozygous null mice show resistance to IMQ-induced psoriasiform disease.

Heterozygotes for a gain-of-function allele develop chronic psoriasis with scaly lesions, epidermal thickening, keratinocyte hyperproliferation, hyperkeratosis and skin inflammation while homozygotes die within days of birth.



If you have any questions, you are welcome to inquire. Tel: 400-9660890





