

Acad11 Cas9-CKO Strategy

Designer: Reviewer:

Design Date:


Ruirui Zhang

Huimin Su

2020-4-3

Project Overview






Conditional Knockout strategy



This model will use CRISPR/Cas9 technology to edit the Acad11 gene. The schematic diagram is as follows:



江苏集萃药康生物科技股份有限公司

GemPharmatech Co., Ltd.

400-9660890



The Acad11 gene has 8 transcripts. According to the structure of Acad11 gene, exon5-exon8 of Acad11-201 (ENSMUST00000047799.12) transcript is recommended as the knockout region. The region contains 536bp coding sequence. Knock out the region will result in disruption of protein function.

In this project we use CRISPR/Cas9 technology to modify *Acad11* gene. The brief process is as follows:CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice.Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.

> The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.



- The Acad11 gene is located on the Chr9. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This strategy is designed based on genetic information in existing databases.Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information (NCBI)



Acad11 acyl-Coenzyme A dehydrogenase family, member 11 [Mus musculus (house mouse)]

Gene ID: 102632, updated on 13-Mar-2020

Summary

Official SymbolAcad11 provided by MGIOfficial Full Nameacyl-Coenzyme A dehydrogenase family, member 11 provided by MGIPrimary sourceMGI:MGI:2143169See relatedEnsembl:ENSMUSG0000090150Gene typeprotein codingRefSeq statusVALIDATEDOrganismMus musculusLineageEukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae;
Murinae; MusAlso known asAl987948; 5730439E10RikExpressionBroad expression in liver adult (RPKM 65.5), kidney adult (RPKM 50.8) and 23 other tissues See more
human all

Genomic context

Location: 9; 9 F1


Exon count: 20

☆ ?

2 7

See Acad11 in Genome Data Viewer

Annotation release	Status	Assembly	Chr	Location
108	current	GRCm38.p6 (GCF_000001635.26)	9	NC_000075.6 (104063724104127656)
Build 37.2	previous assembly	MGSCv37 (GCF_000001635.18)	9	NC_000075.5 (103966033104029976)



江苏集萃药康生物科技股份有限公司

GemPharmatech Co., Ltd.

400-9660890

Transcript information (Ensembl)

The gene has 8 transcripts, all transcripts are shown below:

Name 🍦	Transcript ID 💧	bp 🖕	Protein 🖕	Biotype 🖕	CCDS 🖕	UniProt 🖕	Flags
Acad11-201	ENSMUST00000047799.12	3444	<u>779aa</u>	Protein coding	CCDS23458 &	A0A0R4J016	TSL:1 GENCODE basic APPRIS P
Acad11-202	ENSMUST00000120854.7	3108	<u>661aa</u>	Protein coding	-	D3YTQ5 &	TSL:5 GENCODE basic
Acad11-207	ENSMUST00000189998.2	2030	<u>541aa</u>	Protein coding		A0A087WSI8 &	TSL:5 GENCODE basic
Acad11-203	ENSMUST00000128714.1	614	No protein	Processed transcript		() 	TSL:3
Acad11-204	ENSMUST00000154431.1	598	No protein	Processed transcript		122	TSL:3
Acad11-206	ENSMUST00000189133.1	3463	No protein	Retained intron		-	TSL:NA
Acad11-205	ENSMUST00000185819.1	1949	No protein	Retained intron		-	TSL:NA
Acad11-208	ENSMUST00000216220.1	495	No protein	Retained intron	-	-	TSLINA

The strategy is based on the design of Acad11-201 transcript, the transcription is shown below


Acad11-201 : protein codine

江苏集萃药康生物科技股份有限公司

GemPharmatech Co., Ltd.

Forward strand

Genomic location distribution



江苏集萃药康生物科技股份有限公司

GemPharmatech Co., Ltd.

400-9660890

集举药康 GemPharmatech

Protein domain



Superfamily	Protein kinase-like domain superfami	у	Acyl-CoA dehydrogen	ase/oxidase, N-terminal and n		
Pfam	Aminoglycoside phosphotransfe	rase		Acyl-CoA oxidase/del	Acyl-CoA dehydrogenase- nydrogenase, central domain	like, C-terminal
PANTHER			Acyl-CoA dehydrogena	ase/oxidase, N-terminal	Acyl-CoA dehydrogenase	oxidase C-termi
Gene3D	PTHR45741 3.30.200.20 3.90.1200.	10	Acyl-CoA dehydrogenas	se/oxidase, N-terminal domain	superfamily	
				2.40.110.10	1.20.140.10	
CDD	Acyl-CoA dehydrogenase family	member 10/11, N-terminal	cd01155			
	equence variants (dbSNP and all oth	ner sources)	n un	i în î		1
All sequence SNPs/i S	equence variants (dbSNP and all oth missense variant synonymous variant	ner sources)	II III	BUILDING MUNDAL INT.	<u>. III - T - T</u>	<u> </u>
	missense variant			BUILDING MUNDAL INT.	640	1
Variant Legend	missense variant synonymous variant		splice regio	n variant		779
Variant Legend	missense variant synonymous variant		splice regio	n variant		779
Variant Legend	missense variant synonymous variant		splice regio	n variant		779

江苏集萃药康生物科技股份有限公司

GemPharmatech Co., Ltd.

400-9660890



If you have any questions, you are welcome to inquire. Tel: 400-9660890



