

Hoxb1 Cas9-CKO Strategy

Designer: Huimin Su

Reviewer: Ruiuri Zhang

Design Date: 2020-5-7

Project Overview

Project Name

Hoxb1

Project type


Cas9-CKO

Strain background

C57BL/6JGpt

Conditional Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Hoxb1* gene. The schematic diagram is as follows:



- The *Hoxb1* gene has 2 transcripts. According to the structure of *Hoxb1* gene, exon1-exon2 of *Hoxb1-201* (ENSMUST00000019117.2) transcript is recommended as the knockout region. The region contains all of the coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Hoxb1* gene. The brief process is as follows: CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

- According to the existing MGI data, mice homozygous for a reporter allele die neonatally with altered segmental identity and abnormal migration of motor neurons in the hindbrain. mice homozygous for null alleles can exhibit partial postnatal lethality, narrow face, runting, absent facial motor nuclei, and facial nerve/muscle defects.
- The *Hoxb1* gene is located on the Chr11. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information (NCBI)

Hoxb1 homeobox B1 [*Mus musculus* (house mouse)]

Gene ID: 15407, updated on 31-Mar-2020

Summary


Official Symbol	Hoxb1 provided by MGI
Official Full Name	homeobox B1 provided by MGI
Primary source	MGI:MG1:96182
See related	Ensembl:ENSMUSG00000018973
Gene type	protein coding
RefSeq status	VALIDATED
Organism	Mus musculus
Lineage	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
Also known as	Hox-2.9
Expression	Low expression observed in reference dataset See more
Orthologs	human all

Transcript information (Ensembl)


The gene has 2 transcripts,all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Hoxb1-201	ENSMUST00000019117.2	2086	297aa	Protein coding	CCDS25300	P17919	TSL:1 GENCODE basic APPRIS P1
Hoxb1-202	ENSMUST00000123805.1	781	No protein	Processed transcript	-	-	TSL:3

The strategy is based on the design of *Hoxb1-201* transcript, the transcription is shown below




Genomic location distribution



Protein domain



Mouse phenotype description(MGI)



Phenotypes affected by the gene are marked in blue. Data quoted from MGI database(<http://www.informatics.jax.org/>).

According to the existing MGI data, mice homozygous for a reporter allele die neonatally with altered segmental identity and abnormal migration of motor neurons in the hindbrain. Mice homozygous for null alleles can exhibit partial postnatal lethality, narrow face, runting, absent facial motor nuclei, and facial nerve/muscle defects.

If you have any questions, you are welcome to inquire.

Tel: 400-9660890

