

# Slc38a9 Cas9-CKO Strategy

Designer: Huimin Su

Reviewer: Ruiuri Zhang

Design Date: 2020-4-28

# **Project Overview**



**Project Name** 

Slc38a9

**Project type** 

Cas9-CKO


Strain background

C57BL/6JGpt

## Conditional Knockout strategy



This model will use CRISPR/Cas9 technology to edit the Slc38a9 gene. The schematic diagram is as follows:



### Technical routes



- The *Slc38a9* gene has 8 transcripts. According to the structure of *Slc38a9* gene, exon3-exon6 of *Slc38a9-201* (ENSMUST00000052514.5) transcript is recommended as the knockout region. The region contains 413bp coding sequence. Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Slc38a9* gene. The brief process is as follows:CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

### **Notice**



- > The Slc38a9 gene is located on the Chr13. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- $\rightarrow$  The function of Gm47827 gene may be affect.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

### Gene information (NCBI)



#### Slc38a9 solute carrier family 38, member 9 [ Mus musculus (house mouse) ]

Gene ID: 268706, updated on 13-Mar-2020

#### Summary

↑ ?

Official Symbol Slc38a9 provided by MGI

Official Full Name solute carrier family 38, member 9 provided by MGI

Primary source MGI:MGI:1918839

See related Ensembl: ENSMUSG00000047789

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae;

Murinae: Mus: Mus

Also known as A730092C09; 4833412L08Rik; 6720411P22Rik; 9130023D20Rik; 9430067K09Rik

Expression Ubiquitous expression in testis adult (RPKM 7.7), thymus adult (RPKM 4.8) and 26 other tissues See more

Orthologs human all

# Transcript information (Ensembl)



The gene has 8 transcripts, all transcripts are shown below:


Name 🍦	Transcript ID	bp 🛊	Protein	Biotype	CCDS	UniProt 🍦	Flags
SIc38a9-201	ENSMUST00000052514.5	8910	<u>560aa</u>	Protein coding	CCDS26775@	Q8BGD6₽	TSL:1 GENCODE basic APPRIS P1
SIc38a9-202	ENSMUST00000223581.1	681	<u>42aa</u>	Nonsense mediated decay	-	A0A286YCC6₽	-
SIc38a9-203	ENSMUST00000223674.1	2063	No protein	Processed transcript	2	-	29
SIc38a9-208	ENSMUST00000225649.1	1011	No protein	Processed transcript	9	-	-
SIc38a9-205	ENSMUST00000224252.1	2847	No protein	Retained intron	2	200	21
SIc38a9-206	ENSMUST00000224703.1	1768	No protein	Retained intron		(2)	51
SIc38a9-207	ENSMUST00000225367.1	1178	No protein	Retained intron		-	5
SIc38a9-204	ENSMUST00000223839.1	980	No protein	Retained intron	-	-	#

The strategy is based on the design of Slc38a9-201 transcript, the transcription is shown below




### Genomic location distribution





### Protein domain







If you have any questions, you are welcome to inquire. Tel: 400-9660890





