

Chsy3 Cas9-CKO Strategy

Designer:

Reviewer:

Design Date:


Yanhua Shen

Xueting Zhang

2020-5-7

Project Overview






Conditional Knockout strategy



400-9660890

This model will use CRISPR/Cas9 technology to edit the Chsy3 gene. The schematic diagram is as follows:



江苏集萃药康生物科技股份有限公司

GemPharmatech Co., Ltd.



The Chsy3 gene has 3 transcripts. According to the structure of Chsy3 gene, exon2 of Chsy3-201 (ENSMUST0000080721.5) transcript is recommended as the knockout region. The region contains 284bp coding sequence. Knock out the region will result in disruption of protein function.

In this project we use CRISPR/Cas9 technology to modify *Chsy3* gene. The brief process is as follows:CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice.Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.

The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.



- > Some amino acids will remain at the N-terminus and some functions may be retained.
- The Chsy3 gene is located on the Chr18. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information (NCBI)



☆ ?

Chsy3 chondroitin sulfate synthase 3 [Mus musculus (house mouse)]

Gene ID: 78923, updated on 13-Mar-2020

Summary

Official SymbolChsy3 provided by MGIOfficial Full Namechondroitin sulfate synthase 3 provided byMGIPrimary sourceMGI:MGI:1926173See relatedEnsembl:ENSMUSG0000058152Gene typeprotein codingprotein codingPROVISIONALOrganismMus musculusLineageEukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;
Muroidea; Murinae; Mus; MusAlso knownas4833446K15Rik, Al662215ExpressionBroad expression in placenta adult (RPKM 3.3), limb E14.5 (RPKM 3.1) and 23 other tissues
See more

江苏集萃药康生物科技股份有限公司

GemPharmatech Co., Ltd.


400-9660890



The gene has 3 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Chsy3-201	ENSMUST0000080721.5	3572	<u>884aa</u>	Protein coding	CCDS37829	Q5DTK1	TSL:1 GENCODE basic APPRIS P1
Chsy3-203	ENSMUST00000238155.1	4655	<u>884aa</u>	Nonsense mediated decay	-8	Q5DTK1	
Chsy3-202	ENSMUST00000237594.1	3841	No protein	Retained intron	-	040	

The strategy is based on the design of *Chsy3-201* transcript, the transcription is shown below:



Genomic location distribution





江苏集萃药康生物科技股份有限公司

GemPharmatech Co., Ltd.

400-9660890

Protein domain






江苏集萃药康生物科技股份有限公司

GemPharmatech Co., Ltd.

400-9660890

Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).



If you have any questions, you are welcome to inquire. Tel: 400-9660890



