

Dock5 Cas9-KO Strategy

Designer: Yanhua Shen

Reviewer:Xueting Zhang

Design Date:2019-09-05

Project Overview



Project Name

Dock5

Project type

Cas9-KO


Strain background

C57BL/6JGpt

Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Dock5* gene. The schematic diagram is as follows:



Technical routes



- ➤ The *Dock5* gene has 3 transcripts. According to the structure of *Dock5* gene, exon2-exon3 of *Dock5-201*(ENSMUST00000039135.5) transcript is recommended as the knockout region. The region contains 125bp coding sequence.

 Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Dock5* gene. The brief process is as follows: CRISPR/Cas9 system

Notice



- > According to the existing MGI data, Mutations at this locus result in lens abnormalities involving cataracts and rupturing of the lens nucleus.
- ➤ Transcript 203 is unaffected.
- > The *Dock5* gene is located on the Chr14. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- > This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)



Dock5 dedicator of cytokinesis 5 [Mus musculus (house mouse)]

Gene ID: 68813, updated on 12-Aug-2019

Summary

△ ?

Official Symbol Dock5 provided by MGI

Official Full Name dedicator of cytokinesis 5 provided by MGI

Primary source MGI:MGI:2652871

See related Ensembl: ENSMUSG00000044447

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;

Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus

Also known as Ir2; rlc; Al666732; Al956923; BC016533; E130320D18; 1110060D06Rik

Expression Ubiquitous expression in large intestine adult (RPKM 5.9), small intestine adult (RPKM 4.5) and 28 other tissues See more

Orthologs human all


Transcript information (Ensembl)



The gene has 3 transcripts, all transcripts are shown below:


Name 🍦	Transcript ID 🍦	bp 🌲	Protein 🍦	Biotype	CCDS	UniProt	Flags
Dock5-201	ENSMUST00000039135.5	9988	1868aa	Protein coding	CCDS36963 ₽	B2RY04₽	TSL:1 GENCODE basic APPRIS P1
Dock5-202	ENSMUST00000224823.1	3954	No protein	Retained intron	15	100	
Dock5-203	ENSMUST00000226033.1	1846	No protein	Retained intron	15		×

The strategy is based on the design of *Dock5-201* transcript, The transcription is shown below



Genomic location distribution






Protein domain





Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data, Mutations at this locus result in lens abnormalities involving cataracts and rupturing of the lens nucleus.



If you have any questions, you are welcome to inquire. Tel: 400-9660890





