

# *Rspry1* Cas9-KO Strategy

**Designer:**

**Daohua Xu**

**Reviewer:**

**Huimin Su**

**Design Date:**

**2019-12-19**

# Project Overview

**Project Name**

***Rspry1***

**Project type**


**Cas9-KO**

**Strain background**

**C57BL/6JGpt**

# Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Rspry1* gene. The schematic diagram is as follows:



- The *Rspry1* gene has 7 transcripts. According to the structure of *Rspry1* gene, exon3-exon9 of *Rspry1-201* (ENSMUST00000060389.9) transcript is recommended as the knockout region. The region contains 667bp coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Rspry1* gene. The brief process is as follows: CRISPR/Cas9 system

- The *Rspry1* gene is located on the Chr8. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.



# Gene information (NCBI)

## Rspry1 ring finger and SPRY domain containing 1 [Mus musculus (house mouse)]

Gene ID: 67610, updated on 31-Jan-2019

### Summary




<b>Official Symbol</b>	Rspry1 provided by <a href="#">MGI</a>
<b>Official Full Name</b>	ring finger and SPRY domain containing 1 provided by <a href="#">MGI</a>
<b>Primary source</b>	<a href="#">MGI:MGI:1914860</a>
<b>See related</b>	<a href="#">Ensembl:ENSMUSG00000050079</a>
<b>Gene type</b>	protein coding
<b>RefSeq status</b>	VALIDATED
<b>Organism</b>	<a href="#">Mus musculus</a>
<b>Lineage</b>	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
<b>Also known as</b>	4930470D19Rik, AI608258
<b>Expression</b>	Ubiquitous expression in testis adult (RPKM 9.0), CNS E11.5 (RPKM 8.2) and 28 other tissues <a href="#">See more</a>
<b>Orthologs</b>	<a href="#">human</a> <a href="#">all</a>

# Transcript information (Ensembl)


The gene has 7 transcripts,all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
<b>Rspry1-201</b>	<a href="#">ENSMUST00000060389.9</a>	3852	<a href="#">576aa</a>	Protein coding	<a href="#">CCDS22544</a>	<a href="#">Q8BVR6</a>	TSL:1 GENCODE basic APPRIS P1
<b>Rspry1-205</b>	<a href="#">ENSMUST00000211983.1</a>	3397	<a href="#">576aa</a>	Protein coding	<a href="#">CCDS22544</a>	<a href="#">Q8BVR6</a>	TSL:1 GENCODE basic APPRIS P1
<b>Rspry1-202</b>	<a href="#">ENSMUST00000121101.1</a>	3092	<a href="#">117aa</a>	Protein coding	-	<a href="#">Q8BVR6</a>	TSL:1 GENCODE basic
<b>Rspry1-207</b>	<a href="#">ENSMUST00000212729.1</a>	2800	<a href="#">452aa</a>	Protein coding	-	<a href="#">Q8BVR6</a>	TSL:1 GENCODE basic
<b>Rspry1-204</b>	<a href="#">ENSMUST00000211941.1</a>	4157	No protein	Retained intron	-	-	TSL:NA
<b>Rspry1-206</b>	<a href="#">ENSMUST00000212014.1</a>	3181	No protein	Retained intron	-	-	TSL:NA
<b>Rspry1-203</b>	<a href="#">ENSMUST00000154035.1</a>	745	No protein	Retained intron	-	-	TSL:3

The strategy is based on the design of *Rspry1-201* transcript,The transcription is shown below



# Genomic location distribution






# Protein domain



集萃药康  
GemPharmatech



If you have any questions, you are welcome to inquire.

Tel: 400-9660890

