

Cyp26b1 Cas9-KO Strategy

Designer: Daohua Xu

Reviewer: Huimin Su

Design Date: 2020-1-19

Project Overview



Project Name

Cyp26b1

Project type

Cas9-KO


Strain background

C57BL/6JGpt

Knockout strategy



This model will use CRISPR/Cas9 technology to edit the Cyp26b1 gene. The schematic diagram is as follows:



Technical routes



- ➤ The *Cyp26b1* gene has 5 transcripts. According to the structure of *Cyp26b1* gene, exon2-exon6 of *Cyp26b1-204* (ENSMUST00000204146.2) transcript is recommended as the knockout region. The region contains most of the coding sequence. Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify Cyp26b1 gene. The brief process is as follows: CRISPR/Cas9 syst

Notice



- ➤ According to the existing MGI data, Limb morphogenesis and proximal-distal patterning is disrupted in homozygous null fetuses. Mutant mice are born, however they die immediately after birth exhibiting respiratory distress.
- > The *Cyp26b1* gene is located on the Chr6. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)



Cyp26b1 cytochrome P450, family 26, subfamily b, polypeptide 1 [Mus musculus (house mouse)]

Gene ID: 232174, updated on 16-Mar-2019

Summary



Official Symbol Cyp26b1 provided by MGI

Official Full Name cytochrome P450, family 26, subfamily b, polypeptide 1 provided by MGI

Primary source MGI:MGI:2176159

See related Ensembl: ENSMUSG00000063415

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;

Muroidea; Muridae; Murinae; Mus; Mus

Also known as CP26, P450RAI-2

Expression Broad expression in whole brain E14.5 (RPKM 5.4), limb E14.5 (RPKM 4.6) and 22 other tissuesSee more

Orthologs human all


Transcript information (Ensembl)



The gene has 5 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	ccps	UniProt	Flags
Cyp26b1-204	ENSMUST00000204146.2	4495	512aa	Protein coding	CCDS20289	Q811W2	TSL:1 GENCODE basic APPRIS P1
Cyp26b1-202	ENSMUST00000168003.8	4170	<u>512aa</u>	Protein coding	CCDS20289	Q811W2	TSL:1 GENCODE basic APPRIS P1
Cyp26b1-201	ENSMUST00000077705.5	4157	512aa	Protein coding	CCDS20289	Q811W2	TSL:1 GENCODE basic APPRIS P1
Cyp26b1-205	ENSMUST00000205228.2	4288	321aa	Protein coding	NE T	A0A0N4SUV4	TSL:1 GENCODE basic
Cyp26b1-203	ENSMUST00000204109.1	1340	437aa	Protein coding		A0A0N4SV88	TSL:5 GENCODE basic

The strategy is based on the design of Cyp26b1-204 transcript, The transcription is shown below




Genomic location distribution






Protein domain





Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data, Limb morphogenesis and proximal-distal patterning is disrupted in homozygous null fetuses. Mutant mice are born, however they die immediately after birth exhibiting respiratory distress.



If you have any questions, you are welcome to inquire. Tel: 400-9660890





