

Mgat5 Cas9-KO Strategy

Designer:

Yang Zeng

Reviewer:

Ruirui Zhang

Design Date:

2019-11-22

Project Overview

Project Name

Mgat5

Project type


Cas9-KO

Strain background

C57BL/6JGpt

Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Mgat5* gene. The schematic diagram is as follows:



- The *Mgat5* gene has 4 transcripts. According to the structure of *Mgat5* gene, exon5-exon6 of *Mgat5-201* (ENSMUST00000038361.10) transcript is recommended as the knockout region. The region contains 167bp coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Mgat5* gene. The brief process is as follows: CRISPR/Cas9 system

- According to the existing MGI data, Mice homozygous for deficiencies in this gene have immune system abnormalities and reduced cancer growth and metastasis.
- The *Mgat5* gene is located on the Chr1. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)

Mgat5 mannoside acetylglucosaminyltransferase 5 [*Mus musculus* (house mouse)]

Gene ID: 107895, updated on 27-Aug-2019

Summary


Official Symbol	Mgat5 provided by MGI
Official Full Name	mannoside acetylglucosaminyltransferase 5 provided by MGI
Primary source	MGI:MGI:894701
See related	Ensembl:ENSMUSG00000036155
Gene type	protein coding
RefSeq status	VALIDATED
Organism	Mus musculus
Lineage	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
Also known as	AI480971; GlcNAc-TV; 4930471A21Rik; 5330407H02Rik
Expression	Ubiquitous expression in colon adult (RPKM 9.9), frontal lobe adult (RPKM 9.4) and 27 other tissues See more
Orthologs	human all

Transcript information (Ensembl)


The gene has 4 transcripts,all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Mgat5-201	ENSMUST00000038361.10	8436	740aa	Protein coding	CCDS15245	Q059T5 Q8R4G6	TSL:1 GENCODE basic APPRIS P1
Mgat5-202	ENSMUST00000171405.1	3216	740aa	Protein coding	CCDS15245	Q059T5 Q8R4G6	TSL:1 GENCODE basic APPRIS P1
Mgat5-204	ENSMUST00000190921.1	2984	No protein	Retained intron	-	-	TSL:1
Mgat5-203	ENSMUST00000189427.6	2229	No protein	Retained intron	-	-	TSL:1


The strategy is based on the design of *Mgat5-201* transcript,The transcription is shown below




Genomic location distribution



Protein domain



Mouse phenotype description(MGI)



Phenotypes affected by the gene are marked in blue. Data quoted from MGI database(<http://www.informatics.jax.org/>).

According to the existing MGI data, Mice homozygous for deficiencies in this gene have immune system abnormalities and reduced cancer growth and metastasis.

If you have any questions, you are welcome to inquire.

Tel: 400-9660890

