

Ccl17 Cas9-KO Strategy

Designer:

Yang Zeng

Reviewer:

Ruirui Zhang

Design Date:

2019-11-25

Project Overview

Project Name

Ccl17

Project type


Cas9-KO

Strain background

C57BL/6JGpt

Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Ccl17* gene. The schematic diagram is as follows:



- The *Ccl17* gene has 1 transcript. According to the structure of *Ccl17* gene, exon2-exon3 of *Ccl17-201* (ENSMUST00000034232.2) transcript is recommended as the knockout region. The region contains most of coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Ccl17* gene. The brief process is as follows: gRNA was transcribed in vitro. Cas9 and gRNA were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.

- According to the existing MGI data, Mice homozygous for a knock-out allele exhibit decreased contact hypersensitivity and increased allograft survival.
- The *Ccl17* gene is located on the Chr8. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)

Ccl17 chemokine (C-C motif) ligand 17 [*Mus musculus* (house mouse)]

Gene ID: 20295, updated on 10-Oct-2019

Summary


Official Symbol	Ccl17 provided by MGI
Official Full Name	chemokine (C-C motif) ligand 17 provided by MGI
Primary source	MGI:MGI:1329039
See related	Ensembl:ENSMUSG000000031780
Gene type	protein coding
RefSeq status	VALIDATED
Organism	Mus musculus
Lineage	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
Also known as	Tarc; Abcd-2; Scya17; Scya17l
Expression	Low expression observed in reference dataset See more
Orthologs	human all

Transcript information (Ensembl)


The gene has 1 transcript, and the transcript is shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Ccl17-201	ENSMUST00000034232.2	514	103aa	Protein coding	CCDS57633	F6R5P4	TSL:1 GENCODE basic APPRIS P1


The strategy is based on the design of *Ccl17-201* transcript, The transcription is shown below




Genomic location distribution



Protein domain



Mouse phenotype description(MGI)



Phenotypes affected by the gene are marked in blue. Data quoted from MGI database(<http://www.informatics.jax.org/>).

According to the existing MGI data, Mice homozygous for a knock-out allele exhibit decreased contact hypersensitivity and increased allograft survival.

If you have any questions, you are welcome to inquire.

Tel: 400-9660890

