

Ppp1r9b Cas9-KO Strategy

Designer: Yang Zeng

Reviewer: Xiaojing Li

Design Date: 2019-11-26

Project Overview



Project Name

Ppp1r9b

Project type

Cas9-KO


Strain background

C57BL/6JGpt

Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Ppp1r9b* gene. The schematic diagram is as follows:



Technical routes



- The *Ppp1r9b* gene has 3 transcripts. According to the structure of *Ppp1r9b* gene, exon3-exon7 of *Ppp1r9b-201*(ENSMUST00000038696.11) transcript is recommended as the knockout region. The region contains 569bp coding sequence.

 Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Ppp1r9b* gene. The brief process is as follows: CRISPR/Cas9 system

Notice



- ➤ According to the existing MGI data, Homozygotes for a targeted null mutation exhibit abnormal glutamatergic synaptic transmission, reduced long-term depression, resistance to kainate-induced seizures, impaired taste aversion learning, and increased dendritic spine density.
- The *Ppp1r9b* gene is located on the Chr11. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)



Ppp1r9b protein phosphatase 1, regulatory subunit 9B [Mus musculus (house mouse)]

Gene ID: 217124, updated on 19-Nov-2019

Summary

☆? ‡

Official Symbol Ppp1r9b provided by MGI

Official Full Name protein phosphatase 1, regulatory subunit 9B provided by MGI

Primary source MGI:MGI:2387581

See related Ensembl: ENSMUSG00000038976

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus


Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;

Muroidea; Muridae; Murinae; Mus; Mus

Also known as SPL; Spn

Expression Ubiquitous expression in frontal lobe adult (RPKM 75.4), cortex adult (RPKM 71.9) and 27 other tissues See more

Orthologs human all




Transcript information (Ensembl)



The gene has 3 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Ppp1r9b-201	ENSMUST00000038696.11	4508	<u>817aa</u>	Protein coding	CCDS25268	Q6R891	TSL:1 GENCODE basic APPRIS P2
Ppp1r9b-202	ENSMUST00000107748.1	3095	<u>393aa</u>	Protein coding		Q6R891	TSL:1 GENCODE basic APPRIS ALT2
Ppp1r9b-203	ENSMUST00000151771.1	610	No protein	IncRNA	(2)	20	TSL:5

The strategy is based on the design of *Ppp1r9b-201* transcript, The transcription is shown below




Genomic location distribution






Protein domain





Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data, Homozygotes for a targeted null mutation exhibit abnormal glutamatergic synaptic transmission, reduced long-term depression, resistance to kainate-induced seizures, impaired taste aversion learning, and increased dendritic spine density.



If you have any questions, you are welcome to inquire. Tel: 400-9660890





