

Nbr1 Cas9-KO Strategy

Designer: Daohua Xu

Reviewer: Huimin Su

Design Date: 2020-2-14

Project Overview



Project Name

Nbr1

Project type

Cas9-KO


Strain background

C57BL/6JGpt

Knockout strategy



This model will use CRISPR/Cas9 technology to edit the Nbr1 gene. The schematic diagram is as follows:



Technical routes



- ➤ The *Nbr1* gene has 21 transcripts. According to the structure of *Nbr1* gene, exon5-exon6 of *Nbr1-203*(ENSMUST00000103099.7) transcript is recommended as the knockout region. The region contains 82bp coding sequence.

 Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Nbr1* gene. The brief process is as follows: CRISPR/Cas9 system

Notice



- ➤ According to the existing MGI data, Homozygous mice of the genetic truncation allele had an age-dependent increase in bone mass and bone mineral density. Mice homozygous for a floxed allele activated in T cells exhibit decreased ovalbumin-induced inflammation and defective Th2 polarization.
- ➤ Transcript *Nbr1-217* may not be affected.
- > The *Nbr1* gene is located on the Chr11. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)



Nbr1 NBR1, autophagy cargo receptor [Mus musculus (house mouse)]

Gene ID: 17966, updated on 19-Feb-2019

Summary

↑ ?

Official Symbol Nbr1 provided by MGI

Official Full Name NBR1, autophagy cargo receptor provided by MGI

Primary source MGI:MGI:108498

See related Ensembl:ENSMUSG00000017119

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;

Muroidea; Muridae; Murinae; Mus; Mus

Also known as mKIAA0049

Expression Ubiquitous expression in testis adult (RPKM 73.0), placenta adult (RPKM 24.7) and 28 other tissuesSee more

Orthologs <u>human</u> all


Transcript information (Ensembl)



The gene has 21 transcripts, all transcripts are shown below:


					' / ` .			
Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags	
Nbr1-203	ENSMUST00000103099.7	4789	988aa	Protein coding	CCDS25475	A1L329 P97432	TSL:1 GENCODE basic APPRIS P3	
Nbr1-202	ENSMUST00000103098.8	4654	988aa	Protein coding	CCDS25475	A1L329 P97432	TSL:1 GENCODE basic APPRIS P3	
Nbr1-204	ENSMUST00000107208.7	4344	906aa	Protein coding	CCDS56810	A2A4N5	TSL:1 GENCODE basic	
Nbr1-206	ENSMUST00000107213.7	4339	951aa	Protein coding	CCDS56811	A2A4N8	TSL:1 GENCODE basic APPRIS ALT2	
Nbr1-207	ENSMUST00000107218.9	3353	988aa	Protein coding	CCDS25475	A1L329 P97432	TSL:5 GENCODE basic APPRIS P3	
Nbr1-205	ENSMUST00000107212.7	4168	963aa	Protein coding	1-	A2A4N7	TSL:5 GENCODE basic APPRIS ALT2	
Nbr1-217	ENSMUST00000149019.1	3330	712aa	Protein coding	12	F6S397	CDS 5' incomplete TSL:1	
Nbr1-201	ENSMUST00000071537.12	3239	988aa	Protein coding	100	K3W4P1	TSL:5 GENCODE basic APPRIS ALT2	
Nbr1-215	ENSMUST00000147239.7	563	<u>43aa</u>	Protein coding	15	A2A4R0	CDS 3' incomplete TSL:5	
Nbr1-209	ENSMUST00000127421.7	265	<u>43aa</u>	Protein coding	1-	A2A4R0	CDS 3' incomplete TSL:3	
Nbr1-208	ENSMUST00000123558.7	4392	888aa	Nonsense mediated decay	12	Q05BC8	TSL:1	
Nbr1-211	ENSMUST00000136185.1	276	41aa	Nonsense mediated decay	- 02	G3UZH6	TSL:3	
Nbr1-214	ENSMUST00000146452.1	810	No protein	Retained intron		-	TSL:3	
Nbr1-219	ENSMUST00000172744.1	804	No protein	Retained intron	19-	-8	TSL:3	
Nbr1-216	ENSMUST00000148805.1	639	No protein	Retained intron	12-	-	TSL:2	
Nbr1-210	ENSMUST00000127871.1	594	No protein	Retained intron	14	-	TSL:2	
Nbr1-220	ENSMUST00000174013.1	463	No protein	Retained intron	15	-	TSL:3	
Nbr1-212	ENSMUST00000141170.1	418	No protein	Retained intron	19		TSL:2	
Nbr1-213	ENSMUST00000144517.1	364	No protein	IncRNA	14-	-	TSL:2	
Nbr1-218	ENSMUST00000149170.1	342	No protein	IncRNA	100	-	TSL:3	
Nbr1-221	ENSMUST00000184092.1	63	No protein	misc RNA	10	=	TSL:NA	
		10	1 1			27 %		

The strategy is based on the design of Nbr1-203 transcript, The transcription is shown below



Genomic location distribution






Protein domain





Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data, Homozygous mice of the genetic truncation allele had an age-dependent increase in bone mass and bone mineral density. Mice homozygous for a floxed allele activated in T cells exhibit decreased ovalbumin-induced inflammation and defective Th2 polarization.



If you have any questions, you are welcome to inquire. Tel: 400-9660890





