

# Cdh17 Cas9-KO Strategy

Designer:Xiaojing Li

Reviewer:JiaYu

Design Date:2020-2-11

# **Project Overview**



**Project Name** 

*Cdh17* 

**Project type** 

Cas9-KO


Strain background

C57BL/6JGpt

# **Knockout strategy**



This model will use CRISPR/Cas9 technology to edit the *Cdh17* gene. The schematic diagram is as follows:



### **Technical routes**



- ➤ The *Cdh17* gene has 2 transcripts. According to the structure of *Cdh17* gene, exon4-exon9 of *Cdh17-201*(ENSMUST00000029871.11) transcript is recommended as the knockout region. The region contains 916bp coding sequence Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Cdh17* gene. The brief process is as follows: CRISPR/Cas9 system

### **Notice**



- ➤ According to the existing MGI data, Homozygous mutant mice exhibit impaired B lymphocyte development and impaired IgG1 and IgG3 antibody response to T-independent antigen.
- The *Cdh17* gene is located on the Chr4. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

### Gene information (NCBI)



#### Cdh17 cadherin 17 [ Mus musculus (house mouse) ]

Gene ID: 12557, updated on 26-Oct-2019

#### Summary

Official Symbol Cdh17 provided by MGI

Official Full Name cadherin 17 provided by MGI

Primary source MGI:MGI:1095414

See related Ensembl: ENSMUSG00000028217

RefSeq status VALIDATED

Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;

Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus

Also known as HPT-1; HPT-1/LI

Expression Biased expression in large intestine adult (RPKM 105.6), small intestine adult (RPKM 27.0) and 2 other tissues See more

Orthologs <u>human</u> all

# Transcript information (Ensembl)



The gene has 2 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	ccds	UniProt	Flags
Cdh17-201	ENSMUST00000029871.11	3462	827aa	Protein coding	CCDS17972	Q9R100	TSL:1 GENCODE basic APPRIS P1
Cdh17-202	ENSMUST00000108303.1	3287	728aa	Protein coding	-	A2AKS7	TSL:2 GENCODE basic

The strategy is based on the design of Cdh17-201 transcript, The transcription is shown below




### Genomic location distribution






### Protein domain





## Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data, Homozygous mutant mice exhibit impaired B lymphocyte development and impaired IgC and IgG3 antibody response to T-independent antigen.



If you have any questions, you are welcome to inquire. Tel: 400-9660890





