

Ndufb2 Cas9-KO Strategy

Designer: Xueting Zhang

Reviewer: Daohua Xu

Design Date: 2020-5-28

Project Overview



Project Name

Ndufb2

Project type

Cas9-KO


Strain background

C57BL/6JGpt

Knockout strategy



This model will use CRISPR/Cas9 technology to edit the Ndufb2 gene. The schematic diagram is as follows:



Technical routes



- ➤ The *Ndufb2* gene has 6 transcripts. According to the structure of *Ndufb2* gene, exon2 of *Ndufb2-202*(ENSMUST00000119379.1) transcript is recommended as the knockout region. The region contains 145bp coding sequence. Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Ndufb2* gene. The brief process is as follows: CRISPR/Cas9 system

Notice



- The *Ndufb2* gene is located on the Chr6. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- > *Gm42420* gene will be deleted.
- The knockout region is near to the N-terminal of Gm16272 gene, this strategy may influence the regulatory function of the N-terminal of Gm16272 gene.
- ➤ Transcript *Ndufb2*-203&204 may not be affected.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)



Ndufb2 NADH:ubiquinone oxidoreductase subunit B2 [Mus musculus (house mouse)]

Gene ID: 68198, updated on 13-Mar-2020

Summary

☆ ?

Official Symbol Ndufb2 provided by MGI

Official Full Name NADH:ubiquinone oxidoreductase subunit B2 provided by MGI

Primary source MGI:MGI:1915448

See related Ensembl: ENSMUSG00000002416

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;

Muroidea; Muridae; Murinae; Mus; Mus

Also known as 1810011001Rik, 8kDa, AGGG, Al325567, CI-AGGG

Expression Ubiquitous expression in adrenal adult (RPKM 286.4), duodenum adult (RPKM 227.7) and 28 other tissuesSee more

Orthologs <u>human</u> all


Transcript information (Ensembl)



The gene has 6 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Ndufb2-205	ENSMUST00000135671.7	4371	<u>105aa</u>	Protein coding	CCDS20025	Q9CPU2	TSL:1 GENCODE basic APPRIS P1
Ndufb2-202	ENSMUST00000119379.1	455	<u>105aa</u>	Protein coding	CCDS20025	Q9CPU2	TSL:1 GENCODE basic APPRIS P1
Ndufb2-204	ENSMUST00000135239.1	653	No protein	Processed transcript	5	ÿ <u>L</u>	TSL:5
Ndufb2-201	ENSMUST00000002490.6	491	No protein	Processed transcript	<u> </u>	02	TSL:5
Ndufb2-203	ENSMUST00000128064.1	1110	No protein	Retained intron	5	10.7	TSL:1
Ndufb2-206	ENSMUST00000146793.1	422	No protein	Retained intron	-		TSL:2

The strategy is based on the design of *Ndufb2-202* transcript, the transcription is shown below:




Genomic location distribution





Protein domain







If you have any questions, you are welcome to inquire. Tel: 400-9660890





