

Dars Cas9-KO Strategy

Designer: Yanhua Shen

Reviewer: Xueting Zhang

Design Date: 2020-5-7

Project Overview



Project Name

Dars

Project type

Cas9-KO


Strain background

C57BL/6JGpt

Knockout strategy



This model will use CRISPR/Cas9 technology to edit the Dars gene. The schematic diagram is as follows:



Technical routes



- ➤ The *Dars* gene has 3 transcripts. According to the structure of *Dars* gene, exon2-exon3 of *Dars-201*(ENSMUST00000027602.14) transcript is recommended as the knockout region. The region contains 151bp coding sequence.

 Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Dars* gene. The brief process is as follows: CRISPR/Cas9 system we

Notice



- ➤ According to the existing MGI data, mice homozygous for a knock-out allele die between e11 and e14. Mice heterozygous for the allele exhibit decreased ppi.
- > Transcript 203 may not be affected.
- The *Dars* gene is located on the Chr1. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)



Dars aspartyl-tRNA synthetase [Mus musculus (house mouse)]

Gene ID: 226414, updated on 13-Mar-2020

Summary

↑ ?

Official Symbol Dars provided by MGI

Official Full Name aspartyl-tRNA synthetase provided by MGI

Primary source MGI:MGI:2442544

See related Ensembl:ENSMUSG00000026356

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;

Muroidea; Muridae; Murinae; Mus; Mus

Also known as 5730439G15Rik

Expression Ubiquitous expression in CNS E11.5 (RPKM 27.3), placenta adult (RPKM 26.4) and 25 other tissues See more

Orthologs <u>human</u> all


Transcript information (Ensembl)



The gene has 3 transcripts, all transcripts are shown below:


| Name | Transcript ID | bp | Protein | Biotype | CCDS | UniProt | Flags |
|----------|-----------------------|------|--------------|-----------------|-----------|---------|--|
| Dars-201 | ENSMUST00000027602.14 | 2175 | <u>501aa</u> | Protein coding | CCDS15253 | Q922B2 | TSL:1 GENCODE basic APPRIS is a system to annotate alternatively spliced transcripts based on a range of computational methods to identify the most functionally important transcript(s) of a gene. APPRIS P |
| Dars-202 | ENSMUST00000064309.8 | 645 | <u>87aa</u> | Protein coding | CCDS48348 | Q8BJY7 | TSL:1 GENCODE basic |
| Dars-203 | ENSMUST00000186398.1 | 2144 | No protein | Retained intron | 350 | 2 | TSL:2 |

The strategy is based on the design of *Dars-201* transcript, the transcription is shown below:




Genomic location distribution






Protein domain





Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data,mice homozygous for a knock-out allele die between E11 and E14. Mice heterozygous for the allele exhibit decreased PPI.



If you have any questions, you are welcome to inquire. Tel: 400-9660890





