

# Csmd3 Cas9-KO Strategy

**Designer: Xueting Zhang** 

Reviewer: Daohua Shen

**Design Date: 2020-6-10** 

## **Project Overview**



**Project Name** 

Csmd3

**Project type** 

Cas9-KO


Strain background

C57BL/6JGpt

## **Knockout strategy**



This model will use CRISPR/Cas9 technology to edit the Csmd3 gene. The schematic diagram is as follows:



### **Technical routes**



- ➤ The *Csmd3* gene has 9 transcripts. According to the structure of *Csmd3* gene, exon2 of *Csmd3-201*(ENSMUST00000100670.9) transcript is recommended as the knockout region. The region contains 223bp coding sequence.

  Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Csmd3* gene. The brief process is as follows: CRISPR/Cas9 system

### **Notice**



- > The *Csmd3* gene is located on the Chr15. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- ➤ Transcript *Csmd3*-202&206&208 may not be affected.
- ➤ The effect on transcript *Csmd3*-207 is unknown.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

### Gene information (NCBI)



#### Csmd3 CUB and Sushi multiple domains 3 [Mus musculus (house mouse)]

Gene ID: 239420, updated on 13-Mar-2020

#### Summary

☆ ?

Official Symbol Csmd3 provided by MGI

Official Full Name CUB and Sushi multiple domains 3 provided by MGI

Primary source MGI:MGI:2386403

See related Ensembl:ENSMUSG00000022311

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;

Muroidea; Muridae; Murinae; Mus; Mus

Also known as 4930500N14Rik, mKIAA1894

Expression Biased expression in CNS E18 (RPKM 1.5), frontal lobe adult (RPKM 1.2) and 6 other tissuesSee more

Orthologs <u>human all</u>


## Transcript information (Ensembl)



The gene has 9 transcripts, all transcripts are shown below:


A No.	- Colores						
Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Csmd3-201	ENSMUST00000100670.9	13022	3707aa	Protein coding	CCDS49602	Q80T79	TSL:5 GENCODE basic APPRIS P1
Csmd3-209	ENSMUST00000162830.7	13012	3707aa	Protein coding	6-81	Q80T79	TSL:5 GENCODE basic APPRIS P1
Csmd3-204	ENSMUST00000160658.7	12460	3538aa	Protein coding	350	E9PWJ0	TSL:5 GENCODE basic
Csmd3-207	ENSMUST00000161653.1	9120	<u>2797aa</u>	Protein coding	323	F6TRD7	CDS 5' incomplete TSL:1
Csmd3-205	ENSMUST00000160716.7	1876	No protein	Processed transcript	1781	(2)	TSL:5
Csmd3-203	ENSMUST00000160655.1	3155	No protein	Retained intron	6-8		TSL:1
Csmd3-208	ENSMUST00000162006.1	2951	No protein	Retained intron	320	12	TSL:5
Csmd3-202	ENSMUST00000110261.1	865	No protein	Retained intron	32	7527	TSL:1
Csmd3-206	ENSMUST00000161173.1	801	No protein	Retained intron	153	(3)	TSL:3
		7 7 \					

The strategy is based on the design of *Csmd3-201* transcript, the transcription is shown below:




### Genomic location distribution






### Protein domain





## Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).



If you have any questions, you are welcome to inquire. Tel: 400-9660890





