

# Ints4 Cas9-KO Strategy

**Designer:** 

Yanhua Shen

**Reviewer:** 

**Xueting Zhang** 

**Design Date:** 

2020-01-21

# **Project Overview**



**Project Name** 

Ints4

**Project type** 

Cas9-KO


Strain background

C57BL/6JGpt

# **Knockout strategy**



This model will use CRISPR/Cas9 technology to edit the *Ints4* gene. The schematic diagram is as follows:



### **Technical routes**



- ➤ The *Ints4* gene has 7 transcripts. According to the structure of *Ints4* gene, exon2-exon3 of *Ints4-201*(ENSMUST00000026126.9) transcript is recommended as the knockout region. The region contains 313bp coding sequence.

  Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Ints4* gene. The brief process is as follows: CRISPR/Cas9 system v

### **Notice**



- > Transcripts 202,204,205,207 may not be affected.
- The *Ints4* gene is located on the Chr7. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

### Gene information (NCBI)



#### Ints4 integrator complex subunit 4 [ Mus musculus (house mouse) ]

Gene ID: 101861, updated on 10-Oct-2019

#### Summary

☆ ?

Official Symbol Ints4 provided by MGI

Official Full Name integrator complex subunit 4 provided by MGI

Primary source MGI:MGI:1917164

See related Ensembl: ENSMUSG00000025133

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;

Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus

Also known as AA692684; AW493223; 2610034N24Rik

Expression Ubiquitous expression in subcutaneous fat pad adult (RPKM 15.6), ovary adult (RPKM 14.8) and 28 other tissues See more

Orthologs human all

#### Genomic context



Location: 7; 7 E1

See Ints4 in Genome Data Viewer

Exon count: 23


# Transcript information (Ensembl)



The gene has 7 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Ints4-201	ENSMUST00000026126.9	3240	964aa	Protein coding	CCDS21460	Q8CIM8	TSL:1 GENCODE basic APPRIS P1
Ints4-205	ENSMUST00000205876.1	585	<u>63aa</u>	Nonsense mediated decay	-	A0A0U1RPX1	CDS 5' incomplete TSL:2
Ints4-207	ENSMUST00000206843.1	3095	No protein	Retained intron	9	20	TSL:1
Ints4-206	ENSMUST00000206644.1	2179	No protein	Retained intron		29	TSL:1
Ints4-203	ENSMUST00000205481.1	885	No protein	Retained intron	5		TSL:1
Ints4-202	ENSMUST00000205387.1	600	No protein	Retained intron		<del>-</del> 8	TSL:2
Ints4-204	ENSMUST00000205706.1	579	No protein	Retained intron	9	20	TSL:2

The strategy is based on the design of *Ints4-201* transcript, The transcription is shown below




### Genomic location distribution





### Protein domain







If you have any questions, you are welcome to inquire. Tel: 400-9660890





