

# ***Taf3 Cas9-KO Strategy***

**Designer:**

**Huimin Su**

**Reviewer:**

**Ruirui Zhang**

**Design Date:**

**2020/2/14**

# Project Overview

**Project Name**

***Taf3***

**Project type**


**Cas9-KO**

**Strain background**

**C57BL/6JGpt**

# Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Taf3* gene. The schematic diagram is as follows:



- The *Taf3* gene has 5 transcripts. According to the structure of *Taf3* gene, exon3 of *Taf3*-201 (ENSMUST00000026888.10) transcript is recommended as the knockout region. The region contains 1832bp coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Taf3* gene. The brief process is as follows: CRISPR/Cas9 system were

- The *Taf3* gene is located on the Chr2. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- *Taf3-202* and *Taf3-203* transcripts may not be affect.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.



# Gene information (NCBI)


## Taf3 TATA-box binding protein associated factor 3 [ *Mus musculus* (house mouse) ]

Gene ID: 209361, updated on 12-Aug-2019

### Summary



Official Symbol	Taf3 provided by <a href="#">MGI</a>
Official Full Name	TATA-box binding protein associated factor 3 provided by <a href="#">MGI</a>
Primary source	<a href="#">MGI:MGI:2388097</a>
See related	<a href="#">Ensembl:ENSMUSG00000025782</a>
Gene type	protein coding
RefSeq status	VALIDATED
Organism	<a href="#">Mus musculus</a>
Lineage	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
Also known as	140kDa; TAF140; AW539625; TAFII140; TAFII-140; mTAFII140; 4933439M23Rik
Expression	Ubiquitous expression in bladder adult (RPKM 3.3), testis adult (RPKM 3.1) and 28 other tissues <a href="#">See more</a>
Orthologs	<a href="#">human</a> <a href="#">all</a>




# Transcript information (Ensembl)


The gene has 5 transcripts,all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Taf3-201	<a href="#">ENSMUST00000026888.10</a>	4792	<a href="#">932aa</a>	Protein coding	<a href="#">CCDS15675</a>	<a href="#">A2ASY1</a> <a href="#">Q5HZG4</a>	TSL:1 GENCODE basic APPRIS P1
Taf3-204	<a href="#">ENSMUST00000114909.1</a>	4897	<a href="#">779aa</a>	Protein coding	-	<a href="#">A2ASY0</a>	TSL:1 GENCODE basic
Taf3-203	<a href="#">ENSMUST00000114907.1</a>	695	<a href="#">108aa</a>	Protein coding	-	<a href="#">A2ASX9</a>	TSL:1 GENCODE basic
Taf3-202	<a href="#">ENSMUST00000114906.1</a>	583	<a href="#">51aa</a>	Protein coding	-	<a href="#">A2ASX8</a>	TSL:2 GENCODE basic
Taf3-205	<a href="#">ENSMUST00000129720.1</a>	2217	No protein	Processed transcript	-	-	TSL:5

The strategy is based on the design of *Taf3-201* transcript,The transcription is shown below




# Genomic location distribution





# Protein domain



If you have any questions, you are welcome to inquire.

Tel: 400-9660890

