

Ocm Cas9-KO Strategy

Designer: Xueting Zhang

Reviewer: Yanhua Shen

Date: 2020-02-07

Project Overview

Project Name

Ocm

Project type


Cas9-KO

Strain background

C57BL/6JGpt

Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Ocm* gene. The schematic diagram is as follows:



- The *Ocm* gene has 3 transcripts. According to the structure of *Ocm* gene, exon3-exon4 of *Ocm-201* (ENSMUST00000031622.12) transcript is recommended as the knockout region. The region contains most of the coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Ocm* gene. The brief process is as follows: CRISPR/Cas9 system v

- According to the existing MGI data, Mice homozygous for a knock-out allele exhibit deafness.
- The effect on transcript *Ocm*-203 is unknown.
- The *Ocm* gene is located on the Chr5. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)

Ocm oncomodulin [*Mus musculus* (house mouse)]

Gene ID: 18261, updated on 12-Aug-2019

Summary

- Official Symbol** Ocm provided by [MGI](#)
- Official Full Name** oncomodulin provided by [MGI](#)
- Primary source** [MGI:MGI:97401](#)
- See related** [Ensembl:ENSMUSG00000029618](#)
- Gene type** protein coding
- RefSeq status** VALIDATED
- Organism** [Mus musculus](#)
- Lineage** Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
- Expression** Biased expression in large intestine adult (RPKM 9.7) and small intestine adult (RPKM 3.3) [See more](#)
- Orthologs** [human](#) [all](#)

Genomic context

Location: 5 G2; 5 82.85 cM See Ocm in [Genome Data Viewer](#)

Exon count: 8


Annotation release	Status	Assembly	Chr	Location
108	current	GRCm38.p6 (GCF_000001635.26)	5	NC_000071.6 (144019807..144050640, complement)
Build 37.2	previous assembly	MGSCv37 (GCF_000001635.18)	5	NC_000071.5 (144780676..144811478, complement)

Transcript information (Ensembl)


The gene has 3 transcripts,all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Ocm-201	ENSMUST00000031622.12	658	109aa	Protein coding	CCDS51693	P51879	TSL:5 GENCODE basic APPRIS P1
Ocm-202	ENSMUST00000085704.3	330	109aa	Protein coding	CCDS51693	P51879	TSL:3 GENCODE basic APPRIS P1
Ocm-203	ENSMUST00000110702.1	313	60aa	Protein coding	-	D3YXE4	CDS 3' incomplete TSL:5


The strategy is based on the design of *Ocm-201* transcript,The transcription is shown below




Genomic location distribution



Protein domain



Mouse phenotype description(MGI)



Phenotypes affected by the gene are marked in blue. Data quoted from MGI database(<http://www.informatics.jax.org/>).

According to the existing MGI data, Mice homozygous for a knock-out allele exhibit deafness.

If you have any questions, you are welcome to inquire.

Tel: 400-9660890

