

Dapk2 Cas9-KO Strategy

Designer: Huimin Su

Reviewer: Ruirui Zhang

Design Date: 2020/2/12

Project Overview



Project Name

Dapk2

Project type

Cas9-KO


Strain background

C57BL/6JGpt

Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Dapk2* gene. The schematic diagram is as follows:



Technical routes



- ➤ The *Dapk2* gene has 5 transcripts. According to the structure of *Dapk2* gene, exon3-exon4 of *Dapk2-201*(ENSMUST00000034944.8) transcript is recommended as the knockout region. The region contains 361bp coding sequence.

 Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Dapk2* gene. The brief process is as follows: CRISPR/Cas9 system

Notice



- > The *Dapk2* gene is located on the Chr9. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)



Dapk2 death-associated protein kinase 2 [Mus musculus (house mouse)]

Gene ID: 13143, updated on 12-Aug-2019

Summary

Official Symbol Dapk2 provided by MGI

death-associated protein kinase 2 provided by MGI Official Full Name

Primary source MGI:MGI:1341297

> Ensembl:ENSMUSG00000032380 See related


protein coding Gene type RefSeg status VALIDATED Organism Mus musculus

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;

Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus

Expression Broad expression in lung adult (RPKM 10.8), placenta adult (RPKM 9.0) and 22 other tissues See more

Orthologs human all




Transcript information (Ensembl)



The gene has 5 transcripts, all transcripts are shown below:


Name 🝦	Transcript ID	bp 🌲	Protein	Biotype	CCDS 🍦	UniProt 🍦	Flags
Dapk2-201	ENSMUST00000034944.8	1772	370aa	Protein coding	CCDS23303 ₽	Q8VDF3₽	TSL:1 GENCODE basic APPRIS P1
Dapk2-205	ENSMUST00000238682.1	1594	490aa	Protein coding	73	E9JGN0 ₽	GENCODE basic
Dapk2-204	ENSMUST00000132987.7	837	<u>55aa</u>	Nonsense mediated decay	78	F6YX98 ₺	CDS 5' incomplete TSL:5
Dapk2-202	ENSMUST00000129442.1	1751	No protein	Retained intron	73	-	TSL:1
Dapk2-203	ENSMUST00000129778.1	568	No protein	Retained intron	7.0	-	TSL:2

The strategy is based on the design of *Dapk2-201* transcript, The transcription is shown below




Genomic location distribution






Protein domain





Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).



If you have any questions, you are welcome to inquire. Tel: 400-9660890





