

# Htra3 Cas9-KO Strategy

Designer: Daohua Xu

Reviewer: Huimin Su

**Design Date:** 2020-1-7

# **Project Overview**



**Project Name** 

Htra3

**Project type** 

Cas9-KO


Strain background

C57BL/6JGpt

# **Knockout strategy**



This model will use CRISPR/Cas9 technology to edit the *Htra3* gene. The schematic diagram is as follows:



### **Technical routes**



- ➤ The *Htra3* gene has 6 transcripts. According to the structure of *Htra3* gene, exon2-exon5 of *Htra3-201* (ENSMUST00000087629.9) transcript is recommended as the knockout region. The region contains 551bp coding sequence. Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Htra3* gene. The brief process is as follows: CRISPR/Cas9 system

### **Notice**



- > The *Htra3* gene is located on the Chr5. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- > This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

## Gene information (NCBI)



#### Htra3 HtrA serine peptidase 3 [Mus musculus (house mouse)]

Gene ID: 78558, updated on 31-Jan-2019

#### Summary

☆ ?

Official Symbol Htra3 provided by MGI

Official Full Name HtrA serine peptidase 3 provided by MGI

Primary source MGI:MGI:1925808

See related Ensembl:ENSMUSG00000029096

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;

Muroidea; Muridae; Murinae; Mus; Mus

Also known as 2210021K23Rik, 9530081K03Rik, Prsp, Tasp

Expression Biased expression in mammary gland adult (RPKM 98.7), subcutaneous fat pad adult (RPKM 87.5) and 14 other tissuesSee more

Orthologs <u>human</u> all


# Transcript information (Ensembl)



The gene has 6 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Htra3-201	ENSMUST00000087629.9	2750	<u>459aa</u>	Protein coding	CCDS19233	Q9D236	TSL:1 GENCODE basic APPRIS P1
Htra3-202	ENSMUST00000114233.2	1901	<u>363aa</u>	Protein coding	CCDS39071	Q9D236	TSL:1 GENCODE basic
Htra3-204	ENSMUST00000137935.1	698	<u>41aa</u>	Protein coding	-	A0A0J9YU80	CDS 3' incomplete TSL:3
Htra3-203	ENSMUST00000129459.1	641	<u>53aa</u>	Protein coding	92	A0A0J9YV92	CDS 3' incomplete TSL:2
Htra3-206	ENSMUST00000201028.1	551	<u>59aa</u>	Nonsense mediated decay	-	A0A0J9YVC4	CDS 5' incomplete TSL:5
Htra3-205	ENSMUST00000200810.1	1080	No protein	Retained intron	-	<del>-</del> 8	TSL:NA

The strategy is based on the design of *Htra3-201* transcript, The transcription is shown below




### Genomic location distribution





### Protein domain







If you have any questions, you are welcome to inquire. Tel: 400-9660890





