

# Slurp1 Cas9-KO Strategy

Designer: JiaYu

Reviewer: Xiaojing Li

**Design Date:** 2020-2-24

# **Project Overview**



**Project Name** 

Slurp1

**Project type** 

Cas9-KO


Strain background

C57BL/6JGpt

# **Knockout strategy**



This model will use CRISPR/Cas9 technology to edit the Slurp1 gene. The schematic diagram is as follows:



### **Technical routes**



- ➤ The *Slurp1* gene has 2 transcripts. According to the structure of *Slurp1* gene, exon1-exon2 of *Slurp1-202* (ENSMUST00000190433.1) transcript is recommended as the knockout region. The region contains start codon ATG. Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Slurp1* gene. The brief process is as follows: CRISPR/Cas9 system

### **Notice**



- > According to the existing MGI data, Homozygous null mice develop palmoplantar keratoderma, decreased body weight, and neuromuscular and metabolic phenotypes.
- The *Slurp1* gene is located on the Chr15. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

### Gene information (NCBI)



#### Slurp1 secreted Ly6/Plaur domain containing 1 [Mus musculus (house mouse)]

Gene ID: 57277, updated on 31-Jan-2019

#### Summary

↑ ?

Official Symbol Slurp1 provided by MGI

Official Full Name secreted Ly6/Plaur domain containing 1 provided by MGI

Primary source MGI:MGI:1930923

See related Ensembl:ENSMUSG00000022596

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;

Muroidea; Muridae; Murinae; Mus; Mus

Also known as 1110021N19Rik, Al415082, ARS, ArsB, Slurp-1

Expression Biased expression in stomach adult (RPKM 162.8) and lung adult (RPKM 23.1)See more

Orthologs <u>human all</u>


# Transcript information (Ensembl)



The gene has 2 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Slurp1-202	ENSMUST00000190433.1	2859	110aa	Protein coding	CCDS27528	Q9Z0K7	TSL:1 GENCODE basic APPRIS P1
Slurp1-201	ENSMUST00000023261.3	567	<u>93aa</u>	Protein coding	-	A0A0A0MQ72	TSL:5 GENCODE basic

The strategy is based on the design of Slurp 1-202 transcript, The transcription is shown below




### Genomic location distribution






### Protein domain





## Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).

According to the existing MGI data, Homozygous null mice develop palmoplantar keratoderma, decreased body weight, and neuromuscular and metabolic phenotypes.



If you have any questions, you are welcome to inquire. Tel: 400-9660890





