

Abcb9 Cas9-KO Strategy

Designer: Xueting Zhang

Reviewer: Yanhua Shen

Date:2020-02-24

Project Overview



Project Name

Abcb9

Project type

Cas9-KO


Strain background

C57BL/6JGpt

Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Abcb9* gene. The schematic diagram is as follows:



Technical routes



- ➤ The *Abcb9* gene has 6 transcripts. According to the structure of *Abcb9* gene, exon3-exon7 of *Abcb9-201*(ENSMUST00000031354.10) transcript is recommended as the knockout region. The region contains 779bp coding sequence.

 Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Abcb9* gene. The brief process is as follows: CRISPR/Cas9 system

Notice



- > Transcript *Abcb9*-203 may not be affected.
- The *Abcb9* gene is located on the Chr5. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- > This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)



Abcb9 ATP-binding cassette, sub-family B (MDR/TAP), member 9 [Mus musculus (house mouse)]

Gene ID: 56325, updated on 10-Oct-2019

Summary

Official Full Name ATP-binding cassette, sub-family B (MDR/TAP), member 9 provided by MGI

Primary source MGI:MGI:1861729

Official Symbol Abcb9 provided by MGI

See related Ensembl: ENSMUSG00000029408

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae;

Murinae; Mus; Mus

Also known as TAPL; mKIAA1520

Summary The membrane-associated protein encoded by this gene is a member of the superfamily of ATP-binding cassette (ABC) transporters. ABC proteins transport various

molecules across extra- and intra-cellular membranes. ABC genes are divided into seven distinct subfamilies (ABC1, MDR/TAP, MRP, ALD, OABP, GCN20, White). This protein is a member of the MDR/TAP subfamily. Members of the MDR/TAP subfamily are involved in multidrug resistance as well as antigen presentation. The

function of this half-transporter has not yet been determined; however, it may be associated with lysosome activity. [provided by RefSeq, Jul 2008]

Expression Broad expression in thymus adult (RPKM 11.0), genital fat pad adult (RPKM 8.2) and 24 other tissues See more

Orthologs human all

Genomic context

≈ ?

Location: 5; 5 F

See Abcb9 in Genome Data Viewer

Exon count: 13

Annotation release	Status	Assembly	Chr	Location	
108	current	GRCm38.p6 (GCF_000001635.26)	5	NC_000071.6 (124061857124095955, complement)	
Build 37.2	previous assembly	MGSCv37 (GCF_000001635.18)	5	NC_000071.5 (124511866124545807, complement)	


Transcript information (Ensembl)



The gene has 6 transcripts, all transcripts are shown below:


Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
ENSMUST00000031354.10	3661	<u>762aa</u>	Protein coding	CCDS19671	Q9JJ59	TSL:1 GENCODE basic APPRIS P1
ENSMUST00000141510.7	1911	<u>268aa</u>	Nonsense mediated decay	363	D6RFD9	TSL:5
ENSMUST00000126856.7	1794	<u>268aa</u>	Nonsense mediated decay	825	D6RFD9	TSL:5
ENSMUST00000126970.2	2469	No protein	Retained intron	3528	100	TSL:1
ENSMUST00000153433.7	1036	No protein	Retained intron	1.5	-	TSL:5
ENSMUST00000148392.1	430	No protein	IncRNA	199	8-	TSL:2
	ENSMUST00000031354.10 ENSMUST00000141510.7 ENSMUST00000126856.7 ENSMUST00000126970.2 ENSMUST00000153433.7	ENSMUST000000141510.7 1911 ENSMUST00000126856.7 1794 ENSMUST00000126970.2 2469 ENSMUST00000153433.7 1036	ENSMUST00000141510.7 1911 268aa ENSMUST00000126856.7 1794 268aa ENSMUST00000126970.2 2469 No protein ENSMUST00000153433.7 1036 No protein	ENSMUST00000031354.10 3661 762aa Protein coding ENSMUST00000141510.7 1911 268aa Nonsense mediated decay ENSMUST00000126856.7 1794 268aa Nonsense mediated decay ENSMUST00000126970.2 2469 No protein Retained intron ENSMUST00000153433.7 1036 No protein Retained intron	ENSMUST00000031354.10 3661 762aa Protein coding CCDS19671 ENSMUST00000141510.7 1911 268aa Nonsense mediated decay - ENSMUST00000126856.7 1794 268aa Nonsense mediated decay - ENSMUST00000126970.2 2469 No protein Retained intron - ENSMUST00000153433.7 1036 No protein Retained intron -	ENSMUST00000031354.10 3661 762aa Protein coding CCDS19671 Q9JJ59 ENSMUST00000141510.7 1911 268aa Nonsense mediated decay - D6RFD9 ENSMUST00000126856.7 1794 268aa Nonsense mediated decay - D6RFD9 ENSMUST00000126970.2 2469 No protein Retained intron - - ENSMUST00000153433.7 1036 No protein Retained intron - -

The strategy is based on the design of Abcb9-201 transcript, The transcription is shown below




Genomic location distribution






Protein domain





Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).



If you have any questions, you are welcome to inquire. Tel: 400-9660890





