

Chit1 Cas9-KO Strategy

Designer: Xueting Zhang

Reviewer: Yanhua Shen

Date: 2020-02-25

Project Overview

Project Name

Chit1

Project type


Cas9-KO

Strain background

C57BL/6JGpt

Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Chit1* gene. The schematic diagram is as follows:



- The *Chit1* gene has 3 transcripts. According to the structure of *Chit1* gene, exon3-exon12 of *Chit1-202* (ENSMUST00000159963.7) transcript is recommended as the knockout region. The region contains most of the coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Chit1* gene. The brief process is as follows: CRISPR/Cas9 system were

- According to the existing MGI data, Mice homozygous for a knock-out allele exhibit reduced pulmonary fibrosis induced by bleomycin or IL13 expression.
- The *Chit1* gene is located on the Chr1. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)

Chit1 chitinase 1 (chitotriosidase) [*Mus musculus* (house mouse)]

Gene ID: 71884, updated on 10-Oct-2019

Summary

- Official Symbol** Chit1 provided by [MGI](#)
- Official Full Name** chitinase 1 (chitotriosidase) provided by [MGI](#)
- Primary source** [MGI:MGI:1919134](#)
- See related** [Ensembl:ENSMUSG00000026450](#)
- Gene type** protein coding
- RefSeq status** VALIDATED
- Organism** [Mus musculus](#)
- Lineage** Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
- Also known as** 2300002L19Rik
- Expression** Biased expression in stomach adult (RPKM 20.5), testis adult (RPKM 3.6) and 1 other tissue [See more](#)
- Orthologs** [human](#) [all](#)

Genomic context

Location: 1; 1 E4

See Chit1 in [Genome Data Viewer](#)

Exon count: 14


Annotation release	Status	Assembly	Chr	Location
108	current	GRCm38.p6 (GCF_000001635.26)	1	NC_000067.6 (134111242..134151541)
Build 37.2	previous assembly	MGSCv37 (GCF_000001635.18)	1	NC_000067.5 (136007819..136048013)

Transcript information (Ensembl)


The gene has 3 transcripts,all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Chit1-202	ENSMUST00000159963.7	1815	464aa	Protein coding	CCDS15304	B2RS82 Q9D7Q1	TSL:1 GENCODE basic APPRIS P1
Chit1-201	ENSMUST00000086475.2	1688	464aa	Protein coding	CCDS15304	B2RS82 Q9D7Q1	TSL:1 GENCODE basic APPRIS P1
Chit1-203	ENSMUST00000160060.7	1580	396aa	Protein coding	CCDS69943	Q9D7Q1	TSL:1 GENCODE basic


The strategy is based on the design of *Chit1-202* transcript,The transcription is shown below




Genomic location distribution



Protein domain



Mouse phenotype description(MGI)



Phenotypes affected by the gene are marked in blue. Data quoted from MGI database(<http://www.informatics.jax.org/>).

According to the existing MGI data, Mice homozygous for a knock-out allele exhibit reduced pulmonary fibrosis induced by bleomycin or IL13 expression.

If you have any questions, you are welcome to inquire.

Tel: 400-9660890

