

Colec12 Cas9-KO Strategy

Designer: Xueting Zhang

Reviewer: Yanhua Shen

Date: 2020-03-03

Project Overview

Project Name

Colec12

Project type


Cas9-KO

Strain background

C57BL/6JGpt

Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Colec12* gene. The schematic diagram is as follows:



- The *Colec12* gene has 4 transcripts. According to the structure of *Colec12* gene, exon3-exon7 of *Colec12*-204 (ENSMUST00000234965.1) transcript is recommended as the knockout region. The region contains 1895bp coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Colec12* gene. The brief process is as follows: CRISPR/Cas9 system

- Transcript *Colec12*-202&203 may not be affected.
- The *Colec12* gene is located on the Chr18. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)

Colec12 collectin sub-family member 12 [*Mus musculus* (house mouse)]

Gene ID: 140792, updated on 27-Feb-2020

Summary

Official Symbol	Colec12 provided by MGI
Official Full Name	collectin sub-family member 12 provided by MGI
Primary source	MGI:MGI:2152907
See related	Ensembl:ENSMUSG00000036103
Gene type	protein coding
RefSeq status	VALIDATED
Organism	<i>Mus musculus</i>
Lineage	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
Also known as	SRCL; CL-P1; Scara4
Expression	Broad expression in bladder adult (RPKM 21.0), lung adult (RPKM 20.6) and 26 other tissues See more
Orthologs	human all

Genomic context

Location: 18; 18 A1

See Colec12 in [Genome Data Viewer](#)

Exon count: 11


Annotation release	Status	Assembly	Chr	Location
108	current	GRCm38.p6 (GCF_000001635.26)	18	NC_000084.6 (9707648..9877995)
Build 37.2	previous assembly	MGSCv37 (GCF_000001635.18)	18	NC_000084.5 (9707646..9877993)

Transcript information (Ensembl)

The gene has 4 transcripts,all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Colec12-204	ENSMUST00000234965.1	8024	742aa	Protein coding	CCDS37732	Q8K4Q8	GENCODE basic APPRIS P1
Colec12-201	ENSMUST00000040069.9	3447	461aa	Nonsense mediated decay	-	A0A452J8C7	TSL:1
Colec12-203	ENSMUST00000234149.1	680	No protein	Retained intron	-	-	-
Colec12-202	ENSMUST00000234026.1	622	No protein	Retained intron	-	-	-


The strategy is based on the design of *Colec12-204* transcript,The transcription is shown below



Genomic location distribution



Protein domain



If you have any questions, you are welcome to inquire.

Tel: 400-9660890

