


Pja2 Cas9-KO Strategy

Designer: Reviewer: Design Date: JiaYu Xiaojing Li 2020-3-4

Project Overview






Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Pja2* gene. The schematic diagram is as follows:





- The Pja2 gene has 5 transcripts. According to the structure of Pja2 gene, exon3-exon4 of Pja2-204 (ENSMUST00000172818.7) transcript is recommended as the knockout region. The region contains 1246bp coding sequence. Knock out the region will result in disruption of protein function.
- > In this project we use CRISPR/Cas9 technology to modify *Pja2* gene. The brief process is as follows: CRISPR/Cas9 system v

- The Pja2 gene is located on the Chr17. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Notice

Gene information (NCBI)



\$?

Pja2 praja ring finger ubiquitin ligase 2 [Mus musculus (house mouse)]

Gene ID: 224938, updated on 31-Jan-2019

Summary

Official Symbol	Pja2 provided by MGI
Official Full Name	praja ring finger ubiquitin ligase 2 provided by <u>MGI</u>
Primary source	MGI:MGI:2159342
See related	Ensembl:ENSMUSG0000024083
Gene type	protein coding
RefSeq status	VALIDATED
Organism	Mus musculus
Lineage	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha;
	Muroidea; Muridae; Murinae; Mus; Mus
Also known as	AI447901, AL022700, Neurodap1, mKIAA0438
Expression	Broad expression in frontal lobe adult (RPKM 42.7), cortex adult (RPKM 39.3) and 25 other tissues See more
Orthologs	human all

江苏集萃药康生物科技股份有限公司

GemPharmatech Co., Ltd.

400-9660890

Transcript information (Ensembl)



The gene has 5 transcripts, all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Pja2-204	ENSMUST00000172818.7	4740	<u>707aa</u>	Protein coding	CCDS37675	<u>Q80U04</u>	TSL:1 GENCODE basic APPRIS P4
Pja2-201	ENSMUST00000024888.14	4531	<u>707aa</u>	Protein coding	CCDS37675	<u>Q80U04</u>	TSL:5 GENCODE basic APPRIS P4
Pja2-203	ENSMUST00000172733.1	4488	<u>645aa</u>	Protein coding	CCDS37674	<u>Q80U04</u>	TSL:1 GENCODE basic APPRIS ALT2
Pja2-202	ENSMUST00000024889.13	4345	<u>645aa</u>	Protein coding	CCDS37674	Q80U04	TSL:1 GENCODE basic APPRIS ALT2
Pja2-205	ENSMUST00000232842.1	3559	No protein	Retained intron	15	-	

The strategy is based on the design of *Pja2-204* transcript, The transcription is shown below

< Pja2-204 protein coding


Reverse strand

江苏集萃药康生物科技股份有限公司

GemPharmatech Co., Ltd.

50.91 kb

Genomic location distribution



江苏集萃药康生物科技股份有限公司


GemPharmatech Co., Ltd.

集萃

GemPharmatech

Protein domain






江苏集萃药康生物科技股份有限公司

GemPharmatech Co., Ltd.

400-9660890

Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).



If you have any questions, you are welcome to inquire. Tel: 400-9660890



