

# *Ppp4r3b* Cas9-KO Strategy

**Designer:**

**JiaYu**

**Reviewer:**

**Xiaojing Li**

**Design Date:**

**2020-3-5**

# Project Overview

---

**Project Name**

*Ppp4r3b*

---

**Project type**

**Cas9-KO**

---


**Strain background**

**C57BL/6JGpt**

---

# Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Ppp4r3b* gene. The schematic diagram is as follows:



- The *Ppp4r3b* gene has 7 transcripts. According to the structure of *Ppp4r3b* gene, exon3-exon9 of *Ppp4r3b-201* (ENSMUST00000020755.11) transcript is recommended as the knockout region. The region contains 1270bp coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Ppp4r3b* gene. The brief process is as follows: CRISPR/Cas9 system

- The *Ppp4r3b* gene is located on the Chr11. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- Transcript 206 CDS 5' incomplete the influences is unknown. Transcript 203 CDS 5' and 3' incomplete the influences is unknown.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.



# Gene information (NCBI)

## Ppp4r3b protein phosphatase 4 regulatory subunit 3B [Mus musculus (house mouse)]

Gene ID: 104570, updated on 31-Jan-2019

### Summary




<b>Official Symbol</b>	Ppp4r3b provided by <a href="#">MGI</a>
<b>Official Full Name</b>	protein phosphatase 4 regulatory subunit 3B provided by <a href="#">MGI</a>
<b>Primary source</b>	<a href="#">MGI:MGI:2144474</a>
<b>See related</b>	<a href="#">Ensembl:ENSMUSG00000020463</a>
<b>Gene type</b>	protein coding
<b>RefSeq status</b>	VALIDATED
<b>Organism</b>	<a href="#">Mus musculus</a>
<b>Lineage</b>	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
<b>Also known as</b>	AW011752, AW557776, Smek2, mKIAA1387
<b>Expression</b>	Ubiquitous expression in CNS E11.5 (RPKM 9.9), CNS E14 (RPKM 7.1) and 27 other tissues <a href="#">See more</a>
<b>Orthologs</b>	<a href="#">human</a> <a href="#">all</a>

# Transcript information (Ensembl)


The gene has 7 transcripts,all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Ppp4r3b-201	<a href="#">ENSMUST00000020755.11</a>	5125	<a href="#">820aa</a>	Protein coding	<a href="#">CCDS24492</a>	<a href="#">Q922R5</a>	TSL:1 GENCODE basic APPRIS P1
Ppp4r3b-202	<a href="#">ENSMUST00000102856.8</a>	2410	<a href="#">616aa</a>	Protein coding	-	<a href="#">Q922R5</a>	TSL:1 GENCODE basic
Ppp4r3b-207	<a href="#">ENSMUST00000156280.1</a>	616	<a href="#">194aa</a>	Protein coding	-	<a href="#">Q5RJB9</a>	CDS 3' incomplete TSL:3
Ppp4r3b-203	<a href="#">ENSMUST00000127621.2</a>	576	<a href="#">192aa</a>	Protein coding	-	<a href="#">Q5M6W0</a>	5' and 3' truncations in transcript evidence prevent annotation of the start and the end of the CDS. CDS 5' and 3' incomplete TSL:5
Ppp4r3b-206	<a href="#">ENSMUST00000148759.1</a>	657	<a href="#">89aa</a>	Nonsense mediated decay	-	<a href="#">M0QW93</a>	CDS 5' incomplete TSL:2
Ppp4r3b-205	<a href="#">ENSMUST00000139283.1</a>	611	No protein	Retained intron	-	-	TSL:5
Ppp4r3b-204	<a href="#">ENSMUST00000127818.1</a>	827	No protein	lncRNA	-	-	TSL:5

The strategy is based on the design of *Ppp4r3b-201* transcript,The transcription is shown below




# Genomic location distribution





# Protein domain



If you have any questions, you are welcome to inquire.

Tel: 400-9660890

