

# ***Zc3h14*** Cas9-KO Strategy

**Designer:** Daohua Xu

**Reviewer:** Huimin Su

**Design Date:** 2020-4-20

# Project Overview

**Project Name**

***Zc3h14***

**Project type**


**Cas9-KO**

**Strain background**

**C57BL/6JGpt**

# Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Zc3h14* gene. The schematic diagram is as follows:



- The *Zc3h14* gene has 13 transcripts. According to the structure of *Zc3h14* gene, exon4-exon12 of *Zc3h14-204* (ENSMUST00000110105.9) transcript is recommended as the knockout region. The region contains 1553bp coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Zc3h14* gene. The brief process is as follows: CRISPR/Cas9 system

- According to the existing MGI data, homozygous knockout results in impaired spatial working memory, enlarged anterior lateral ventricles in the brain, small testes and reduced litter size.
- The *Zc3h14* gene is located on the Chr12. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.



# Gene information (NCBI)

## Zc3h14 zinc finger CCCH type containing 14 [Mus musculus (house mouse)]

Gene ID: 75553, updated on 13-Mar-2020

### Summary



<b>Official Symbol</b>	Zc3h14 provided by <a href="#">MGI</a>
<b>Official Full Name</b>	zinc finger CCCH type containing 14 provided by <a href="#">MGI</a>
<b>Primary source</b>	<a href="#">MGI:MGI:1919824</a>
<b>See related</b>	<a href="#">Ensembl:ENSMUSG000000021012</a>
<b>Gene type</b>	protein coding
<b>RefSeq status</b>	VALIDATED
<b>Organism</b>	<a href="#">Mus musculus</a>
<b>Lineage</b>	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
<b>Also known as</b>	1010001P15Rik, 1700016A15Rik, 2700069A02Rik, AU014748
<b>Expression</b>	Ubiquitous expression in testis adult (RPKM 36.2), CNS E11.5 (RPKM 18.5) and 24 other tissues <a href="#">See more</a>
<b>Orthologs</b>	<a href="#">human</a> <a href="#">all</a>

# Transcript information（Ensembl）


The gene has 13 transcripts,all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Zc3h14-204	<a href="#">ENSMUST00000110105.9</a>	3514	<a href="#">735aa</a>	Protein coding	<a href="#">CCDS26100</a>	<a href="#">Q8BJ05</a>	TSL:1 GENCODE basic APPRIS is a system to annotate alternatively spliced transcripts based on a range of computational methods to identify the most functionally important transcript(s) of a gene. APPRIS P4
Zc3h14-203	<a href="#">ENSMUST00000110104.9</a>	3146	<a href="#">604aa</a>	Protein coding	<a href="#">CCDS26099</a>	<a href="#">Q8BJ05</a>	TSL:5 GENCODE basic APPRIS is a system to annotate alternatively spliced transcripts based on a range of computational methods to identify the most functionally important transcript(s) of a gene. APPRIS ALT1
Zc3h14-202	<a href="#">ENSMUST00000057000.16</a>	3046	<a href="#">579aa</a>	Protein coding	<a href="#">CCDS49138</a>	<a href="#">Q8BJ05</a>	TSL:1 GENCODE basic APPRIS is a system to annotate alternatively spliced transcripts based on a range of computational methods to identify the most functionally important transcript(s) of a gene. APPRIS ALT2
Zc3h14-201	<a href="#">ENSMUST00000021399.8</a>	1430	<a href="#">309aa</a>	Protein coding	<a href="#">CCDS49139</a>	<a href="#">Q8BJ05</a>	TSL:1 GENCODE basic
Zc3h14-206	<a href="#">ENSMUST00000221532.1</a>	983	<a href="#">238aa</a>	Protein coding	-	<a href="#">A0A1Y7VK20</a>	CDS 5' incomplete TSL:5
Zc3h14-212	<a href="#">ENSMUST00000223083.1</a>	924	<a href="#">269aa</a>	Protein coding	-	<a href="#">A0A1Y7VK72</a>	CDS 3' incomplete TSL:2
Zc3h14-213	<a href="#">ENSMUST00000223451.1</a>	727	<a href="#">180aa</a>	Nonsense mediated decay	-	<a href="#">A0A1Y7VJD9</a>	CDS 5' incomplete TSL:5
Zc3h14-205	<a href="#">ENSMUST00000220660.1</a>	598	<a href="#">70aa</a>	Nonsense mediated decay	-	<a href="#">A0A1Y7VP61</a>	CDS 5' incomplete TSL:5
Zc3h14-210	<a href="#">ENSMUST00000222461.1</a>	2012	No protein	Processed transcript	-	-	TSL:1
Zc3h14-207	<a href="#">ENSMUST00000221558.1</a>	3078	No protein	Retained intron	-	-	TSL:NA
Zc3h14-208	<a href="#">ENSMUST00000221576.1</a>	1351	No protein	Retained intron	-	-	TSL:1
Zc3h14-209	<a href="#">ENSMUST00000222146.1</a>	895	No protein	Retained intron	-	-	TSL:2
Zc3h14-211	<a href="#">ENSMUST00000222632.1</a>	687	No protein	Retained intron	-	-	TSL:2

The strategy is based on the design of *Zc3h14-204* transcript,the transcription is shown below:




# Genomic location distribution






# Protein domain



# Mouse phenotype description(MGI )

Phenotype Overview



*Phenotypes affected by the gene are marked in blue. Data quoted from MGI database(<http://www.informatics.jax.org/>).*

According to the existing MGI data, homozygous knockout results in impaired spatial working memory, enlarged anterior lateral ventricles in the brain, small testes and reduced litter size.

If you have any questions, you are welcome to inquire.

Tel: 400-9660890

