

Kirrel Cas9-KO Strategy

Designer: Zihe Cui

Reviewer: Jia Yu

Design Date: 2020-7-22

Project Overview



Project Name

Kirrel

Project type

Cas9-KO


Strain background

C57BL/6JGpt

Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Kirrel* gene. The schematic diagram is as follows:



Technical routes



- The *Kirrel* gene has 3 transcripts. According to the structure of *Kirrel* gene, exon3-exon14 of *Kirrel-202*(ENSMUST00000107618.8) transcript is recommended as the knockout region. The region contains 1682bp coding sequence. Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Kirrel* gene. The brief process is as follows: gRNA was transcribed in vitro.Cas9 and gRNA were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.

Notice



- > According to the existing MGI data, mice homozygous for a gene trap insertion exhibit postnatal lethality and are small and sickly. Glomerular and tubular defects in the kidney result in severe proteinuria.
- The *Kirrel* gene is located on the Chr3. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- > This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)



Kirrel kirre like nephrin family adhesion molecule 1 [Mus musculus (house mouse)]

Gene ID: 170643, updated on 26-Jun-2020

Summary

☆ ?

Official Symbol Kirrel provided by MGI

Official Full Name kirre like nephrin family adhesion molecule 1 provided by MGI

Primary source MGI:MGI:1891396

See related Ensembl: ENSMUSG00000041734

RefSeq status VALIDATED

Organism Mus musculus

Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;

Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus

Also known as Neph1; Kirrel1; 6720469N11Rik

Expression Broad expression in limb E14.5 (RPKM 16.4), subcutaneous fat pad adult (RPKM 10.9) and 21 other tissues See more

Orthologs human all


Transcript information (Ensembl)



The gene has 3 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Kirrel-202	ENSMUST00000107618.8	7278	789aa	Protein coding	CCDS17450	Q80W68	TSL:5 GENCODE basic APPRIS P2
Kirrel-203	ENSMUST00000159976.7	7236	<u>789aa</u>	Protein coding	CCDS17450	Q80W68	TSL:1 GENCODE basic APPRIS P2
Kirrel-201	ENSMUST00000041732.8	2160	<u>634aa</u>	Protein coding		Q80W68	TSL:1 GENCODE basic APPRIS ALT2

The strategy is based on the design of *Kirrel-202* transcript, the transcription is shown below:




Genomic location distribution






Protein domain





Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue. Data quoted from MGI database(http://www.informatics.jax.org/). According to the existing MGI data, mice homozygous for a gene trap insertion exhibit postnatal lethality and are small and sickly. Glomerular and tubular defects in the kidney result in severe proteinuria.



If you have any questions, you are welcome to inquire. Tel: 400-9660890





