

Stard8 Cas9-KO Strategy

Designer: Xueting Zhang

Reviewer: Daohua Xu

Design Date: 2020-8-12

Project Overview



Project Name Stard8


Project type Cas9-KO

Strain background C57BL/6JGpt

Knockout strategy



This model will use CRISPR/Cas9 technology to edit the Stard8 gene. The schematic diagram is as follows:



Technical routes



- The *Stard8* gene has 4 transcripts. According to the structure of *Stard8* gene, exon5-exon14 of *Stard8*201(ENSMUST00000036606.13) transcript is recommended as the knockout region. The region contains most of the coding sequence. Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Stard8* gene. The brief process is as follows: CRISPR/Cas9 system were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.

Notice



- > The Stard8 gene is located on the ChrX. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- ➤ The effect on transcript *Stard8*-204 is unknown.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)



Stard8 START domain containing 8 [Mus musculus (house mouse)]

Gene ID: 236920, updated on 13-Mar-2020

Summary

☆ ?

Official Symbol Stard8 provided by MGI

Official Full Name START domain containing 8 provided by MGI

Primary source MGI:MGI:2448556

See related Ensembl:ENSMUSG00000031216

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;

Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus

Also known as Dlc3, mKIAA0189

Expression Broad expression in lung adult (RPKM 27.0), kidney adult (RPKM 19.8) and 20 other tissuesSee more

Orthologs <u>human all</u>

Transcript information (Ensembl)



The gene has 4 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Stard8-201	ENSMUST00000036606.13	4963	1019aa	Protein coding	CCDS30297	Q8K031	TSL:1 GENCODE basic APPRIS P1
Stard8-204	ENSMUST00000149999.7	631	<u>57aa</u>	Protein coding	12-	B1AZJ1	CDS 3' incomplete TSL:3
Stard8-202	ENSMUST00000127361.1	759	No protein	Processed transcript		729	TSL:3
Stard8-203	ENSMUST00000145820.1	468	No protein	Processed transcript		U%	TSL:2

The strategy is based on the design of *Stard8-201* transcript, the transcription is shown below:

Stard8-201 > protein coding


Genomic location distribution





Protein domain







If you have any questions, you are welcome to inquire. Tel: 400-9660890





