

# Zc3hav11 Cas9-KO Strategy

Designer: Daohua Xu

**Reviewer: Xueting Zhang** 

**Design Date: 2020-11-20** 

## **Project Overview**



**Project Name** 

Zc3hav1l

**Project type** 

Cas9-KO


Strain background

C57BL/6JGpt

# **Knockout strategy**



This model will use CRISPR/Cas9 technology to edit the Zc3hav11 gene. The schematic diagram is as follows:



### **Technical routes**



- The Zc3hav1l gene has 1 transcript. According to the structure of Zc3hav1l gene, exon1-exon3 of Zc3hav1l-201(ENSMUST0000058524.2) transcript is recommended as the knockout region. The region contains start codon ATG. Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify Zc3hav1l gene. The brief process is as follows: CRISPR/Cas9 system were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.

### **Notice**



- The Zc3hav11 gene is located on the Chr6. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- > This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

### Gene information (NCBI)



#### Zc3hav1l zinc finger CCCH-type, antiviral 1-like [Mus musculus (house mouse)]

Gene ID: 209032, updated on 13-Mar-2020

#### Summary

☆ ?

Official Symbol Zc3hav1l provided by MGI

Official Full Name zinc finger CCCH-type, antiviral 1-like provided by MGI

Primary source MGI:MGI:2443387

See related Ensembl: ENSMUSG00000047749

Gene type protein coding
RefSeq status VALIDATED
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;

Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus

Also known as B130055L09Rik, E430016P22Rik

Expression Broad expression in limb E14.5 (RPKM 17.8), CNS E11.5 (RPKM 10.8) and 17 other tissuesSee more

Orthologs <u>human all</u>


### Transcript information (Ensembl)



The gene has 1 transcript, and the transcript is shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Zc3hav1l-201	ENSMUST00000058524.2	6536	296aa	Protein coding	CCDS20011	B9EHM1 Q8BFR1	TSL:1 GENCODE basic APPRIS P1

The strategy is based on the design of Zc3hav11-201 transcript, the transcription is shown below:




### Genomic location distribution






### Protein domain





# Mouse phenotype description(MGI)





Phenotypes affected by the gene are marked in blue.Data quoted from MGI database(http://www.informatics.jax.org/).



If you have any questions, you are welcome to inquire. Tel: 400-9660890





