

Olfr981 Cas9-KO Strategy

Designer: Daohua Xu

Reviewer: Xueting Zhang

Design Date: 2020-11-11

Project Overview

Project Name

Olfr981

Project type


Cas9-KO

Strain background

C57BL/6JGpt

Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Olfcr981* gene. The schematic diagram is as follows:



- The *Olfr981* gene has 4 transcripts. According to the structure of *Olfr981* gene, exon1 of *Olfr981-201*(ENSMUST00000059859.4) transcript is recommended as the knockout region. The region contains all of the coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Olfr981* gene. The brief process is as follows: CRISPR/Cas9 system were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.

- The *Olfr981* gene is located on the Chr9. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of the gene knockout on gene transcription, RNA splicing and protein translation cannot be predicted at the existing technology level.

Gene information (NCBI)

Olfr981 olfactory receptor 981 [Mus musculus (house mouse)]

Gene ID: 258283, updated on 13-Mar-2020

Summary



Official Symbol	Olfr981 provided by MGI
Official Full Name	olfactory receptor 981 provided by MGI
Primary source	MGI:MGI:3030815
See related	Ensembl:ENSMUSG00000046678
Gene type	protein coding
RefSeq status	PROVISIONAL
Organism	Mus musculus
Lineage	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
Also known as	MOR223-8
Summary	Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008]
Orthologs	human all

Transcript information (Ensembl)


The gene has 4 transcripts,all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Olfr981-202	ENSMUST00000215956.2	8197	310aa	Protein coding	CCDS23072	Q8VEU2	TSL:5 GENCODE basic APPRIS P1
Olfr981-201	ENSMUST00000059859.4	997	310aa	Protein coding	CCDS23072	Q8VEU2	TSL:NA GENCODE basic APPRIS P1
Olfr981-204	ENSMUST00000220338.1	5377	No protein	Processed transcript	-	-	TSL:5
Olfr981-203	ENSMUST00000219526.1	2756	No protein	Processed transcript	-	-	TSL:5

The strategy is based on the design of *Olfr981-201* transcript,the transcription is shown below:



Genomic location distribution



Protein domain



If you have any questions, you are welcome to inquire.

Tel: 400-9660890

