

Ubap2 Cas9-CKO Strategy

Designer: Daohua Xu

Project Overview




Project Name	Ubap2
Project type	Cas9-CKO
Strain background	C57BL/6JGpt

Conditional Knockout strategy



This model will use CRISPR/Cas9 technology to edit the *Ubap2* gene. The schematic diagram is as follows:



Technical routes



- > The *Ubap2* gene has 8 transcripts. According to the structure of *Ubap2* gene, exon3-exon5 of *Ubap2-201*(ENSMUST00000030143.13) transcript is recommended as the knockout region. The region contains 343bp coding sequence. Knock out the region will result in disruption of protein function.
- ➤ In this project we use CRISPR/Cas9 technology to modify *Ubap2* gene. The brief process is as follows: CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- > The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

Notice



- > The *Ubap2* gene is located on the Chr4. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information (NCBI)



Ubap2 ubiquitin-associated protein 2 [Mus musculus (house mouse)]

Gene ID: 68926, updated on 17-Dec-2020

Summary



Official Symbol Ubap2 provided by MGI

Official Full Name ubiquitin-associated protein 2 provided by MGI

Primary source MGI:MGI:1916176

See related Ensembl:ENSMUSG00000028433

Gene type protein coding
RefSeq status PROVISIONAL
Organism Mus musculus

Lineage Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia;

Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus

Also known as 1190005K07Rik, AA408600, AU045235, UBAP-2, mKIAA1491

Expression Ubiquitous expression in testis adult (RPKM 65.5), thymus adult (RPKM 28.5) and 28 other tissuesSee more

Orthologs <u>human all</u>


Transcript information (Ensembl)



The gene has 8 transcripts, all transcripts are shown below:


Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Ubap2-201	ENSMUST00000030143.13	4368	1132aa	Protein coding	CCDS18058		TSL:1 , GENCODE basic , APPRIS P2 ,
Ubap2-202	ENSMUST00000108068.8	4380	1131aa	Protein coding	941		TSL:1 , GENCODE basic , APPRIS ALT2
Ubap2-204	ENSMUST00000134782.2	735	245aa	Protein coding	828		CDS 5' and 3' incomplete , TSL:3 ,
Ubap2-205	ENSMUST00000135323.2	696	227aa	Protein coding	85		CDS 3' incomplete , TSL:3 ,
Ubap2-206	ENSMUST00000136057.2	418	140aa	Protein coding	62		CDS 5' and 3' incomplete , TSL:1 ,
Ubap2-203	ENSMUST00000132499.2	687	No protein	Processed transcript	878		TSL:3,
Ubap2-208	ENSMUST00000143552.2	502	No protein	Processed transcript	19 4 .		TSL:5,
Ubap2-207	ENSMUST00000140662.2	132	No protein	Processed transcript	12		TSL:5,

The strategy is based on the design of *Ubap2-201* transcript, the transcription is shown below:




Genomic location distribution





Protein domain







If you have any questions, you are welcome to inquire.

Tel: 400-9660890





