




Genotyping Report

Strain ID	T028585	Strain Type	KO(Cas9)	Genetic Background	C57BL/6JGpt
Designer	Zifan Lin	Gene Name			<i>Col9a1</i>

1. Strategy of Genotyping



Wild type: ①PCR reaction obtains a single WT band; ②PCR reaction obtains a single WT band.

Heterozygote: ①PCR reaction obtains a WT band and a KO band; ②PCR reaction obtains a WT band.

Homozygote: ①PCR reaction obtains a single KO band; ② PCR reaction without product.

Note: 1)The sizes of WT and Targeted band are shown below.


2)If the WT band is too large, it may not be possible to obtain a WT band.

2. Primer Information

PCR No.	Primer No.	Sequence	Band Size
PCR①	T028585-F1	GATAAGGGCAGATAGCTAAGGCAGTG	WT:42342 bp Targeted: 377 bp
	T028585-R1	ATATGTAGGCAGAGAAAGCTCTATCTG	
PCR②	T028585-F2	CCGCTATGAGGCAGCATCTCTG	WT: 385 bp Targeted:0bp
	T028585-R2	CAGGAAGACAGTCTCATCAGCC	

3. Gel Image

ctcactgtcctactcccaaatcctcg---41965bp---cataatggggaccatatgggtgttttg



Note: P: Positive control; WT: Wildtype control; B: Blank control (ddH₂O); M: DNA Ladder

① Control (WT) : It is an important reference mark for whether the PCR reaction is successful and whether the product band position and size meet the theoretical requirements.

② Control (B) : PCR amplification was performed without template in the PCR reagent to monitor whether the reagent was contaminated.

4. PCR Condition

PCR Reaction Component			
Seg.	reaction component	Volume (μl)	
1	2 × Rapid Taq Master Mix (Vazyme P222)		12.5
2	ddH ₂ O		9.5
3	Primer A(10pmol/μl)		1
4	Primer B(10pmol/μl)		1
5	Template(≈100ng/μl)		1

PCR program ① priority selection

Seg.	Temp.	Time	Cycle
1	95 °C	5min	20×
2	98 °C	30s	
3	65 °C * (-0.5 °C/cycle)	30s	
4	72 °C	45s*	
5	98 °C	30s	20×
6	55 °C *	30s	
7	72 °C	45s*	
8	72 °C	5min	
9	10 °C	hold	

PCR program ② the second choice

Seg.	Temp.	Time	Cycle
1	95 °C	5min	35×
2	98 °C	30s	
3	58 °C *	30s	



江苏集萃药康生物科技股份有限公司
GemPharmatech Co.,Ltd

4	72°C	45s*	
5	72°C	5min	
6	10°C	hold	

Note*: Annealing temperature and extension time can be determined according to the actual amplification situation and amplification enzyme efficiency.