

Acot12 Cas9-CKO Strategy

Designer: Yanhua Shen

Reviewer: Jia Yu

Design Date: 2022-02-08

Project Overview

Project Name

Acot12

Project type


Cas9-CKO

Strain background

C57BL/6JGpt

Conditional Knockout strategy

This model will use CRISPR-Cas9 technology to edit the *Acot12* gene. The schematic diagram is as follows:



- The *Acot12* gene has 3 transcripts. According to the structure of *Acot12* gene, exon3 of *Acot12-201*(ENSMUST00000022120.5) transcript is recommended as the knockout region. The region contains 61bp coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR-Cas9 technology to modify *Acot12* gene. The brief process is as follows: CRISPR-Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

- The *Acot12* gene is located on the Chr13. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.

Gene information (NCBI)

Acot12 acyl-CoA thioesterase 12 [Mus musculus (house mouse)]

Gene ID: 74156, updated on 17-Dec-2020

Summary




Official Symbol	Acot12 provided by MGI
Official Full Name	acyl-CoA thioesterase 12 provided by MGI
Primary source	MGI:MGI:1921406
See related	Ensembl:ENSMUSG00000021620
Gene type	protein coding
RefSeq status	PROVISIONAL
Organism	Mus musculus
Lineage	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
Also known as	1300004O04Rik, 4930449F15Rik, AV027244, Cac, Cach, mCACH-1
Expression	Biased expression in liver adult (RPKM 18.2), kidney adult (RPKM 14.7) and 8 other tissues See more
Orthologs	human all

Transcript information (Ensembl)


The gene has 3 transcripts,all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Acot12-201	ENSMUST00000022120.5	3058	556aa	Protein coding	CCDS26678		TSL:1 , GENCODE basic , APPRIS P1 ,
Acot12-202	ENSMUST00000159214.2	782	No protein	Processed transcript	-		TSL:1 ,
Acot12-203	ENSMUST00000161337.2	614	No protein	Retained intron	-		TSL:2 ,


The strategy is based on the design of *Acot12-201* transcript,the transcription is shown below:



Genomic location distribution



Protein domain



If you have any questions, you are welcome to inquire.
Tel: 400-9660890

