




## Genotyping Report

Strain ID	T015231	Strain Type	CKO(Cas9)	Genetic Background	C57BL/6JGpt
Designer	Tiantian Sun	Gene Name			<i>card6</i>

### 1. Strategy of Genotyping



### 2. Primer Information

PCR No.	Primer No.	Sequence	Band Size
①(5'arm)	T015231(P2)-F1	TACTTGCTTGTGCTTAGCGT	WT: 314bp Targeted: 419bp
	T015231(P2)-R1	TTGCTAAGCAAATCTGATCCCAG	
②(3'arm)	T015231(P2)-F2	ACATAGACATGTGATCGCAGCACC	WT: 345bp Targeted: 451bp
	T015231(P2)-R2	CAGATTATCTGTAGACTTGCCTGCAC	

### 3. Gel Image & Conclusion





- ① Control (WT) : It is an important reference mark for whether the PCR reaction is successful and whether the product band position and size meet the theoretical requirements.
- ② Control (B) : PCR amplification was performed without template in the PCR reagent to monitor whether the reagent was contaminated.

#### 4. PCR Condition

PCR Reaction Component			
Seg.	reaction component	Volume (μl)	
1	2 × Rapid Taq Master Mix (Vazyme P222)	12.5	
2	ddH2O	9.5	
3	Primer A(10pmol/μl)	1	
4	Primer B(10pmol/μl)	1	
5	Template(≈100ng/μl)	1	

PCR program ① priority selection			
Seg.	Temp.	Time	Cycle
1	95°C	5min	
2	98°C	30s	20×
3	65°C* (-0.5°C/cycle)	30s	
4	72°C	45s*	20×
5	98°C	30s	
6	55°C*	30s	35×
7	72°C	45s*	
8	72°C	5min	35×
9	10°C	hold	

PCR program ② the second choice			
Seg.	Temp.	Time	Cycle
1	95°C	5min	
2	98°C	30s	35×
3	58°C*	30s	
4	72°C	45s*	35×
5	72°C	5min	
6	10°C	hold	

Note\*: Annealing temperature and extension time can be determined according to the actual amplification situation and amplification enzyme efficiency.



江苏集萃药康生物科技股份有限公司  
GemPharmatech Co.,Ltd