

Genotyping Report

Strain ID	T016551	Strain Type	CKO(Cas9)	Genetic Background	C57BL/6JGpt
Designer	Ya'nan Xu	Gene Name	Snrpg		

1. Strategy of Genotyping



 **Loxp**  **Primer** ① ② **PCR Reaction Number**  **Sequencing Region**


Wild type: ①PCR reaction obtains a single WT band; ②PCR reaction obtains a single WT band.
 Heterozygote: ①PCR reaction obtains a WT band and a Targeted band; ②PCR reaction obtains a WT band and a Targeted band.
 Homozygote: ①PCR reaction obtains a single Targeted band; ②PCR reaction obtains a single Targeted band.
 Note: The sizes of WT and Targeted band are shown below.

2. Primer Information

PCR No.	Primer No.	Sequence	Band Size
①(5'arm)	T016551(P1)-F1	TTTCCACACTGGGGAGTTGAAG	WT: 273bp Targeted: 378bp
	T016551(P1)-R1	TTAAAGTGATTTGCTTGGGCTGG	
②(3'arm)	T016551(P1)-F2	TCTGATCTCCTTGGGCACCAG	WT: 282bp Targeted: 388bp
	T016551(P1)-R2	ACTTGCAAAGCCTGACAGGAGG	

3. Gel Image & Conclusion

--



Note: P: Positive control; WT: Wildtype control; B: Blank control (ddH₂O); M: DNA Ladder

4. PCR Condition

PCR Reaction Component			
Seg.	reaction component		Volume (μl)
1	2 × Taq Master Mix , Dye Plus, (Vazyme P112-03)		12.5
2	ddH2O		9.5
3	Primer A(10pmol/μl)		1
4	Primer B(10pmol/μl)		1
5	Template(≈100ng/μl)		1
PCR program			
Seg.	Temp.	Time	Cycle
1	95℃	5min	20 ×
2	98℃	30s	
3	65℃ (-0.5℃/cycle)	30s	
4	72℃	45s	
5	98℃	30s	20 ×
6	55℃	30s	
7	72℃	45s	
8	72℃	5min	
9	10℃	hold	