




Genotyping Report

Strain ID	T008736	Strain Type	CKO(Cas9)	Genetic Background	C57BL/6JGpt
Designer	Ya'nan Xu	Gene Name			<i>Hnrrnpm</i>

1. Strategy of Genotyping



Wild type: ①PCR reaction obtains a single WT band; ②PCR reaction obtains a single WT band.

Heterozygote: ①PCR reaction obtains a WT band and a Targeted band; ②PCR reaction obtains a WT band and a Targeted band.

Homozygote: ①PCR reaction obtains a single Targeted band; ②PCR reaction obtains a single Targeted band.


Note: The sizes of WT and Targeted band are shown below.

2. Primer Information

PCR No.	Primer No.	Sequence	Band Size
①(5'arm)	JS02715-Hnrrnpm-5wt-tF2	GGCCTTCTACTTGTCTTGTGA CCA	WT:277bp Targeted: 383bp
	JS02715-Hnrrnpm-5wt-tR2	CCCTTTAACATTGTGAACCCACT CAG	
②(3'arm)	JS02715-Hnrrnpm-3wt-tF2	TGAACTCAGGACCTTGGAAGA GC	WT:491bp Targeted:592bp
	JS02715-Hnrrnpm-3wt-tR2	CAACAACTGTAGAGTTGGGATG CTTAGC	

3. Gel Image & Conclusion





4. PCR Condition

PCR Reaction Component

Seg.	reaction component	Volume (μl)
1	2 \times Rapid Taq Master Mix (Vazyme P222)	12.5
2	ddH ₂ O	9.5
3	Primer A(10pmol/ μl)	1
4	Primer B(10pmol/ μl)	1
5	Template(20~80ng/ μl)	1

PCR program I priority selection

Seg.	Temp.	Time	Cycle
1	95 °C	5min	20x
2	98 °C	30s	
3	65 °C * (-0.5 °C /cycle)	30s	
4	72 °C	45s*	
5	98 °C	30s	
6	55 °C *	30s	
7	72 °C	45s*	
8	72 °C	5min	
9	10 °C	hold	

PCR program II the second choice

Seg.	Temp.	Time	Cycle
1	95 °C	5min	
2	98 °C	30s	35x



江苏集萃药康生物科技股份有限公司
GemPharmatech Co.,Ltd

3	58°C*	30s	
4	72°C	45s*	
5	72°C	5min	
6	10°C	hold	

Note*: Annealing temperature and extension time can be determined according to the actual amplification situation and amplification enzyme efficiency.