

# ***Gabbr1* Cas9-CKO Strategy**

Designer: Xiaojing Li  
Design Date: 2019-9-19  
Reviewer: Jia Yu

# Project Overview

**Project Name**

***Gabbr1***

**Project type**


**Cas9-CKO**

**Strain background**

**C57BL/6JGpt**

# Conditional Knockout strategy

This model will use CRISPR/Cas9 technology to edit the *Gabbr1* gene. The schematic diagram is as follows:



# Technical routes

- The *Gabbr1* gene has 11 transcripts. According to the structure of *Gabbr1* gene, exon5-exon11 of *Gabbr1-201* (ENSMUST00000025338.15) transcript is recommended as the knockout region. The region contains 848bp coding sequence. Knock out the region will result in disruption of protein function.
- In this project we use CRISPR/Cas9 technology to modify *Gabbr1* gene. The brief process is as follows: CRISPR/Cas9 system and Donor were microinjected into the fertilized eggs of C57BL/6JGpt mice. Fertilized eggs were transplanted to obtain positive F0 mice which were confirmed by PCR and sequencing. A stable F1 generation mouse model was obtained by mating positive F0 generation mice with C57BL/6JGpt mice.
- The flox mice will be knocked out after mating with mice expressing Cre recombinase, resulting in the loss of function of the target gene in specific tissues and cell types.

- According to the existing MGI data, Phenotypes of null mice vary depending on strain background and allele. Homozygous null mice may display seizures, premature death, and abnormal nervous system electrophysiology.
- The *Gabbr1* gene is located on the Chr17. If the knockout mice are crossed with other mice strains to obtain double gene positive homozygous mouse offspring, please avoid the two genes on the same chromosome.
- This Strategy is designed based on genetic information in existing databases. Due to the complexity of biological processes, all risk of loxp insertion on gene transcription, RNA splicing and protein translation cannot be predicted at existing technological level.



# Gene information (NCBI)

## Gabbr1 gamma-aminobutyric acid (GABA) B receptor, 1 [Mus musculus (house mouse)]

Gene ID: 54393, updated on 19-Mar-2019

### Summary



<b>Official Symbol</b>	Gabbr1 provided by <a href="#">MGI</a>
<b>Official Full Name</b>	gamma-aminobutyric acid (GABA) B receptor, 1 provided by <a href="#">MGI</a>
<b>Primary source</b>	<a href="#">MGI:MGI:1860139</a>
<b>See related</b>	<a href="#">Ensembl:ENSMUSG00000024462</a>
<b>Gene type</b>	protein coding
<b>RefSeq status</b>	VALIDATED
<b>Organism</b>	<a href="#">Mus musculus</a>
<b>Lineage</b>	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Euarchontoglires; Glires; Rodentia; Myomorpha; Muroidea; Muridae; Murinae; Mus; Mus
<b>Also known as</b>	GABAB1, GABABR1, bM573K1.1
<b>Expression</b>	Broad expression in cortex adult (RPKM 73.7), frontal lobe adult (RPKM 72.2) and 20 other tissues <a href="#">See more</a>
<b>Orthologs</b>	<a href="#">human</a> <a href="#">all</a>

# Transcript information (Ensembl)


The gene has 11 transcripts,all transcripts are shown below:

Name	Transcript ID	bp	Protein	Biotype	CCDS	UniProt	Flags
Gabbr1-201	<a href="#">ENSMUST00000025338.15</a>	5248	<a href="#">960aa</a>	Protein coding	<a href="#">CCDS37616</a>	<a href="#">Q9WV18</a>	TSL:1 GENCODE basic APPRIS P1
Gabbr1-203	<a href="#">ENSMUST00000172792.7</a>	4036	<a href="#">844aa</a>	Protein coding	-	<a href="#">Q9WV18</a>	TSL:1 GENCODE basic
Gabbr1-209	<a href="#">ENSMUST00000174456.7</a>	1595	<a href="#">229aa</a>	Protein coding	-	<a href="#">Q3TWR2</a>	TSL:1 GENCODE basic
Gabbr1-202	<a href="#">ENSMUST00000172789.1</a>	1460	<a href="#">229aa</a>	Protein coding	-	<a href="#">Q3TWR2</a>	TSL:1 GENCODE basic
Gabbr1-208	<a href="#">ENSMUST00000174347.1</a>	821	<a href="#">213aa</a>	Protein coding	-	<a href="#">G3UZ52</a>	CDS 3' incomplete TSL:5
Gabbr1-205	<a href="#">ENSMUST00000173823.7</a>	4204	<a href="#">177aa</a>	Nonsense mediated decay	-	<a href="#">G3UXR6</a>	TSL:1
Gabbr1-206	<a href="#">ENSMUST00000174071.1</a>	716	No protein	Retained intron	-	-	TSL:3
Gabbr1-207	<a href="#">ENSMUST00000174181.1</a>	608	No protein	Retained intron	-	-	TSL:2
Gabbr1-211	<a href="#">ENSMUST00000174866.1</a>	378	No protein	Retained intron	-	-	TSL:5
Gabbr1-210	<a href="#">ENSMUST00000174826.1</a>	237	No protein	Retained intron	-	-	TSL:2
Gabbr1-204	<a href="#">ENSMUST00000173564.1</a>	303	No protein	lncRNA	-	-	TSL:5

The strategy is based on the design of *Gabbr1-201* transcript,The transcription is shown below




# Genomic location distribution






# Protein domain



# Mouse phenotype description(MGI)



*Phenotypes affected by the gene are marked in blue. Data quoted from MGI database(<http://www.informatics.jax.org/>).*

According to the existing MGI data, Phenotypes of null mice vary depending on strain background and allele. Homozygous null mice may display seizures, premature death, and abnormal nervous system electrophysiology.

If you have any questions, you are welcome to inquire.

Tel: 400-9660890

